



AVEIDRÁULICA

**CATÁLOGO
PNEUMÁTICA**

Tuberías de poliamida y poliuretano

Polyamide and polyurethane tubes
Tubes de polyamide et polyuréthane
Tubi in poliammide e poliuretano



-
- PTFE sin malla /PTFE without braid /PTFE sans tresse /PTFE senza treccia | 11



M2950

-
- Tuberías Poliamida natural /Natural polyamide pipe /Tubes polyamide naturelle /Tubi in Poliammide naturale | 11



POL...NAT

-
- Tuberías Poliamida negro /Black polyamide pipe /Tubes polyamide noir /Tubi in Poliammide nero | 11



POL...NE

-
- Tuberías Poliamida azul /Blue polyamide pipe /Tubes polyamide bleu /Tubi in Poliammide blu | 12



POL...AZ

-
- Tuberías Poliuretano azul /Blue polyurethane pipe /Tubes polyuréthane bleu /Tubi in Poliuretano blu | 12



PUR...AZ

Espirales de poliamida y poliuretano

Polyamide and Polyurethane springs
Serpentins polyamide y polyuréthane
Spirali in poliammide e poliuretano



- Espirales poliamida azul /Blue polyamide springs /Serpentins polyamide bleu /Spirali poliuretano blu

| 13



ESPIRPOL

- Espirales poliuretano sin racores /Polyurethane springs without fittings /Serpentins polyuréthane sans raccords /Spirale poliuretano senza raccordi

| 13



SPUR

- Espirales poliuretano con racores macho giratorio BSPT /Polyurethane springs with fittings swivel male BSPT /Serpentins polyuréthane avec raccords mâle tournant BSPT /Spirale poliuretano con raccordi maschio girevole BSPT

| 13



HPUR

Conexión Push-in automático

Push-in Fittings

Raccords Automatiques Push-in

Raccordi automatici Push-in



■ Racordaje tecnopolímero cónico / Push-in Technopolymeric tapered fittings / Raccords Push-in techno-polymère conique / Raccordi tecnopolimero Push-in conico | 14



■ Racordaje tecnopolímero cilíndrico / Push-in Technopolymeric cylindrical fittings / Raccords Push-in techno-polymère cylindrique / Raccordi tecnopolimero Push-in cilindrico | 15



■ Racordaje tecnopolímero otros / Other Push-in Technopolymeric fittings / Raccords Push-in techno-polymère - autres / Raccordi tecnopolimero Push-in altri | 17



■ Racordaje metálico cónico / Metallic Push-in tapered fittings / Raccords Push-in métallique conique / Raccordi metallici Push-in conico | 20



Conexión Push-in automático

Push-in Fittings

Raccords Automatiques Push-in

Raccordi automatici Push-in



- Racordaje metálico cilíndrico / Metallic Push-in cylindrical fittings / Raccords Push-in métallique cylindrique / Raccordi metallici Push-in cilindrico | 20



MPCCI



MPCF



MPHCI



MPLCI



MSCL



MPTCI



MPSTCI

- Racordaje metálico otros / Other Metallic Push-in fittings / Raccords Push-in métallique - autres / Raccordi metallici Push-in vari | 21



MPUC



MPMM



MPUL



MPUT



MPY



TAP



50600

Conexión con espiga

Hose tail-M BSPT tapered
Raccords avec embout
Raccordi con inserto



- Racordaje con espiga cónico / Tapered hose tail fittings / Raccords avec embout conique / Raccordi con inserto conico | 23



3040



3055

- Racordaje con espiga cilíndrico / Cylindrical hose tail fittings / Raccords avec embout cylindrique / Raccordi con inserto cilindrico | 23



3045



3050



3045A

Conexión Push-on

Push-on Fittings
Raccords Push-on
Raccordi Push-on



■ Conexión Push-on sin espiral / Push-on fittings without spring / Raccords Push-on sans spirale / Raccordi Push-on sin spirali | 24



■ Conexión Push-on con muelle / Push-on fittings with nut and spring / Raccords Push-on avec ressort / Raccordi Push-on senza molla | 27



Adaptador

Adaptors
Adaptateurs
Adattatori



■ Adaptadores Rectos / Straight adaptors / Adaptateurs droits / Adattatori diritti

| 28



■ Tapones / Plugs / Bouchons / Tappi

| 30



■ Forja en codo / Elbow forge / Forges en coude / Forgiato a 90°

| 31



■ Forja en T / Forge in T / Forges en T / Forgiato a T

| 31



■ Forja en Cruz e Y / Forge in Cross and Y / Forges en Croix et Y / Forgiato a croce e Y

| 32



■ Tacos / Squares / Nourrices de distribution / Blocco a croce

| 32



Enchufes mini - serie mignon

Mini-serie mignon
Coupleurs mini - série mignon
Innesti mini- serie mignon



■ Roscados /Screw /Fileté /Filetati

| 33



111



211



112



212

■ Con espiga /With hose tail /Avec embout /Con adattatori

| 33



115



215

■ Push-on /Push-on /Push-on /Push-on

| 33



114



214



113



213

Enchufes mini - serie uni ISO 6150 B-12

Mini-serie uni ISO 6150 B-12
Coupleurs mini - série uni ISO 6150 B-12
Innesti Mini-serie uni ISO 6150 B-12

■ Roscados /Screwed /Fileté /Filetati

| 34



121



221



122



222

■ Con espiga /With hose tail /Avec embout /Con adattatori

| 34



125



225

■ Push-on /Push-on /Push-on /Push-on

| 34



223

Enchufes mini - serie multipresa

Mini-serie multipress
Coupleurs mini - série multiprise
Innesti Mini-serie uni Multipresa



■ Roscado / Screw / Fileté / Filetati

| 35



191



192

■ Con espiga / With hose tail / Avec embout / Con adattatori

| 35



195

■ Push-on / Push-on / Push-on / Push-on

| 35



194



193

Tuberías de poliamida y poliuretano

Polyamide and polyurethane tubes
Tubes de polyamide et polyuréthane
Tubi in poliammide e poliuretano



PTFE sin malla

PTFE without braid

PTFE sans tresse

PTFE senza treccia



PIPE TUBO	LENGTH (M) LONGITUD (M)	Part nº Referencia
2x4	25	M2950204
4x6	25	M2950406
6x8	25	M2950608
2x4	100	M2950204-100
4x6	100	M2950406-100
6x8	100	M2950608-100

Tuberías Poliamida natural

Natural polyamide pipe

Tubes polyamide naturelle

Tubi in Poliammide naturale



PIPE TUBO	LENGTH (M) LONGITUD (M)	Part nº Referencia
2,5x4 mm	25	POL2.5X4NAT
4x6 mm	25	POL4X6NAT
6x8 mm	25	POL6X8NAT
8x10 mm	25	POL8X10NAT
10x12 mm	25	POL10X12NAT
2,5x4 mm	100	POL2.5X4NAT-100
4x6 mm	100	POL4X6NAT-100
6x8 mm	100	POL6X8NAT-100
8x10 mm	100	POL8X10NAT-100
10x12 mm	100	POL10X12NAT-100

Tuberías Poliamida negro

Black polyamide pipe

Tubes polyamide noir

Tubi in Poliammide nero



PIPE TUBO	LENGTH (M) LONGITUD (M)	Part nº Referencia
2,5x4 mm	25	POL2.5X4NE
4x6 mm	25	POL4X6NE
6x8 mm	25	POL6X8NE
8x10 mm	25	POL8X10NE
10x12 mm	25	POL10X12NE
2,5x4 mm	100	POL2.5X4NE-100
4x6 mm	100	POL4X6NE-100
6x8 mm	100	POL6X8NE-100
8x10 mm	100	POL8X10NE-100
10x12 mm	100	POL10X12NE-100

Tuberías de poliamida y poliuretano

Polyamide and polyurethane tubes
Tubes de polyamide et polyuréthane
Tubi in poliammide e poliuretano



Tuberías Poliamida azul

Blue polyamide pipe

Tubes polyamide bleu

Tubi in Poliammide blu



PIPE TUBO	LENGTH (M) LONGITUD (M)	Part nº Referencia
4x6 mm	25	POL4X6AZ
6x8 mm	25	POL6X8AZ
8x10 mm	25	POL8X10AZ
10x12 mm	25	POL10X12AZ
4x6 mm	100	POL4X6AZ-100
6x8 mm	100	POL6X8AZ-100
8x10 mm	100	POL8X10AZ-100
10x12 mm	100	POL10X12AZ-100

Tuberías Poliuretano azul

Blue polyurethane pipe

Tubes polyuréthane bleu

Tubi in Poliuretano blu



PIPE TUBO	LENGTH (M) LONGITUD (M)	Part nº Referencia
2x4 mm	25	PUR2X4AZ
4x6 mm	25	PUR4X6AZ
6x8 mm	25	PUR6X8AZ
8x10 mm	25	PUR8X10AZ
9x12 mm	25	PUR9X12AZ
2,5x4 mm	100	PUR2.5X4AZ-100
4x6 mm	100	PUR4X6AZ-100
6x8 mm	100	PUR6X8AZ-100
6,5x10 mm	100	PUR6.5X10AZ-100
8x12 mm	100	PUR8X12AZ-100

Espirales de poliamida y poliuretano

Polyamide and Polyurethane springs
Serpentins polyamide y polyuréthane
Spirali in poliammide e poliuretano



Espirales poliamida azul

Blue polyamide springs

Serpentins polyamide bleu



Spirali poliuretano blu

PIPE TUBO	Ø INNER Ø INT.	LENGTH (M) LONGITUD (M)	Part n° Referencia
4x6 mm	50	30	ESPIRPOL4X6AZ
6x8 mm	70	30	ESPIRPOL6X8AZ
8x10 mm	85	30	ESPIRPOL8X10AZ
10x12 mm	110	30	ESPIRPOL10X12AZ

Espirales poliuretano sin racores

Polyurethane springs without fittings

Serpentins polyuréthane sans raccords



Spirale poliuretano senza raccordi

PIPE TUBO	Ø INNER Ø INT.	LENGTH (M) LONGITUD (M)	Part n° Referencia
4x6 mm	32	5	SPUR4X6 5
4x6 mm	32	7,5	SPUR4X6 7.5
4x6 mm	32	10	SPUR4X6 10
5X8 mm	40	5	SPUR5X8 5
5X8 mm	40	7.5	SPUR5X8 7.5
5X8 mm	40	10	SPUR5X8 10
6,5x10 mm	46	5	SPUR6.5X10 5
6,5x10 mm	46	7,5	SPUR6.5X10 7.5
6,5x10 mm	46	10	SPUR6.5X10 10

Espirales poliuretano con racores macho giratorio BSPT

*Polyurethane springs with fittings swivel male
BSPT*

Serpentins polyuréthane avec raccords mâle
tournant BSPT



*Spirale poliuretano con raccordi maschio girevole
BSPT*

PIPE TUBO	Ø INNER Ø INT.	LENGTH (M) LONGITUD (M)	Part n° Referencia
4x6 mm	32	5	HPUR4X6 5
4x6 mm	32	7,5	HPUR4X6 7.5
4x6 mm	32	10	HPUR4X6 10
5X8 mm	40	5	HPUR5X8 5
5X8 mm	40	7.5	HPUR5X8 7.5
5X8 mm	40	10	HPUR5X8 10
6,5x10 mm	46	5	HPUR6.5X10 5
6,5x10 mm	46	7,5	HPUR6.5X10 7.5
6,5x10 mm	46	10	HPUR6.5X10 10

Conexión Push-in automático

Push-in Fittings

Raccords Automatiques Push-in

Raccordi automatici Push-in



Auto. Pol.-M BSPT cónico/M métrico

Push-in Pol. - M BSPT tapered/M metric

Push-in Pol. - M BSPT conique /M métrique

Automatico diritto maschio



PIPE TUBO	THREAD ROSCA	Part n° Referencia
4 mm	1/8"	PC 0401
4 mm	1/4"	PC 0402
4 mm	M5	PC 04M5
6 mm	1/8"	PC 0601
6 mm	1/4"	PC 0602
6 mm	3/8"	PC 0603
8 mm	1/8"	PC 0801
8 mm	1/4"	PC 0802
8 mm	3/8"	PC 0803
8 mm	1/2"	PC 0804
10 mm	1/8"	PC 1001
10 mm	1/4"	PC 1002
10 mm	3/8"	PC 1003
10 mm	1/2"	PC 1004
12 mm	1/4"	PC 1202
12 mm	3/8"	PC 1203
12 mm	1/2"	PC 1204

Auto. Pol.-codo orientable M BSPT cónico

Push-in Pol. - elbow banjo M BSPT tapered

Push-in Pol. - coude ajustable M BSPT conique

Automatico estremita tubolare a 90



PIPE TUBO	THREAD ROSCA	Part n° Referencia
4 mm	1/8"	PH 0401
6 mm	1/8"	PH 0601
6 mm	1/4"	PH 0602
8 mm	1/8"	PH 0801
8 mm	1/4"	PH 0802
8 mm	3/8"	PH 0803
10 mm	1/4"	PH 1002
10 mm	3/8"	PH 1003

Auto. Pol.-codo giratorio M BSPT cónico

Push-in Pol. - elbow adjustable M BSPT tapered

Push-in Pol. - coude tournant M BSPT conique

Automatico maschio girevole



PIPE TUBO	THREAD ROSCA	Part n° Referencia
4 mm	1/8"	PL 0401
4 mm	1/4"	PL 0402
6 mm	1/8"	PL 0601
6 mm	1/4"	PL 0602
6 mm	3/8"	PL 0603
8 mm	1/8"	PL 0801
8 mm	1/4"	PL 0802
8 mm	3/8"	PL 0803
10 mm	1/4"	PL 1002
10 mm	3/8"	PL 1003
10 mm	1/2"	PL 1004
12 mm	3/8"	PL 1203
12 mm	1/2"	PL 1204

Auto. Pol.-codo giratorio prolongado M BSPT cónico

Push-in Pol. - elbow adjustable extensor M BSPT tapered

Push-in Pol. - coude tournant prolongé M BSPT conique

Automatico a 90 prolunga maschio girevole



PIPE TUBO	THREAD ROSCA	Part n° Referencia
4 mm	1/8"	PLL 0401
4 mm	1/4"	PLL 0402
6 mm	1/8"	PLL 0601
6 mm	1/4"	PLL 0602
8 mm	1/8"	PLL 0801
8 mm	3/8"	PLL 0803
10 mm	1/4"	PLL 1002

Auto. Pol.-T central giratorio M BSPT cónico

Push-in Pol. - Tee central adjustable M BSPT tapered

Push-in Pol. - T central tournant M BSPT conique

Automatico T maschio girevole centrale



PIPE TUBO	THREAD ROSCA	Part n° Referencia
4 mm	1/8"	PT 0401
6 mm	1/8"	PT 0601
6 mm	1/4"	PT 0602
8 mm	1/8"	PT 0801
8 mm	1/4"	PT 0802
10 mm	1/4"	PT 1002
10 mm	3/8"	PT 1003
12 mm	3/8"	PT 1203
12 mm	1/2"	PT 1204

Auto. Pol.-T lateral giratorio M BSPT cónico

Push-in Pol. - Tee lateral adjustable M BSPT tapered

Push-in Pol. - T lateral tournant M BSPT conique

Automatico T maschio girevole laterale



PIPE TUBO	THREAD ROSCA	Part n° Referencia
4 mm	1/8"	PST 0401
6 mm	1/8"	PST 0601
6 mm	1/4"	PST 0602
8 mm	1/8"	PST 0801
8 mm	1/4"	PST 0802
10 mm	1/4"	PST 1002
10 mm	3/8"	PST 1003
12 mm	3/8"	PST 1203
12 mm	1/2"	PST 1204

Conexión Push-in automático

Push-in Fittings

Raccords Automatiques Push-in

Raccordi automatici Push-in



Auto. Pol.-Y central M BSPT cónico/M métrico

Push-in Pol. - Y central M BSPT tapered/M metric

Push-in Pol. - Y central M BSPT conique /M métrique

Automatico automatico a Y maschio girevole centrale



PIPE TUBO	THREAD ROSCA	Part nº Referencia
4 mm	1/8"	PWT 0401
4 mm	1/4"	PWT 0402
4 mm	M5	PWT 04M5
6 mm	1/8"	PWT 0601
6 mm	1/4"	PWT 0602
8 mm	1/8"	PWT 0801
8 mm	1/4"	PWT 0802
10 mm	1/4"	PWT 1002
10 mm	3/8"	PWT 1003
12 mm	3/8"	PWT 1203
12 mm	1/2"	PWT 1204

Auto. Pol.-codo microrregulador p/cilindro M BSPT cónico

Push-in Pol. - elbow speed controller for cylinder M BSPT tapered

Push-in Pol. - coude micro-regulateur M BSPT conique

Microregolatore per cilindro BSPT



PIPE TUBO	THREAD ROSCA	Part nº Referencia
4 mm	1/8"	SCLT 0401
4 mm	1/4"	SCLT 0402
6 mm	1/4"	SCLT 0602
6 mm	3/8"	SCLT 0603
8 mm	1/8"	SCLT 0801
8 mm	1/4"	SCLT 0802
8 mm	3/8"	SCLT 0803
10 mm	1/4"	SCLT 1002
10 mm	3/8"	SCLT 1003
12 mm	1/4"	SCLT 1202

Auto. Pol.-múltiple intermedio M BSPT cónico

Push-in Pol.-multiple union M BSPT tapered

Push-in Pol.-intermédiaire multiple M BSPTconique

Automatico maschio con uscite multiple



PIPE TUBO	THREAD ROSCA	Part nº Referencia
6 mm	4 mm	PKD 060401
8 mm	4 mm	PKD 080402
8 mm	6 mm	PKD 080602
10 mm	8 mm	PKD 100803

Auto. Pol.-M BSP cilíndrico/M métrico c/junta

Push-in Pol. - M BSP parallel/M metric w/o'ring

Push-in Pol. - coude tournant M BSP cylindrique /M métrique avec o'ring

Automatico diritto maschio con o'ring



PIPE TUBO	THREAD ROSCA	Part nº Referencia
4 mm	1/8"	PCCI 0401
4 mm	1/4"	PCCI 0402
4 mm	M5	PCCI 04M5
6 mm	1/8"	PCCI 0601
6 mm	1/4"	PCCI 0602
6 mm	3/8"	PCCI 0603
8 mm	1/8"	PCCI 0801
8 mm	1/4"	PCCI 0802
8 mm	3/8"	PCCI 0803
10 mm	1/4"	PCCI 1002
10 mm	3/8"	PCCI 1003
10 mm	1/2"	PCCI 1004
12 mm	1/4"	PCCI 1202
12 mm	3/8"	PCCI 1203
12 mm	1/2"	PCCI 1204

Auto. Pol.-H BSP cilíndrico

Push-in Pol. - F BSP parallel

Push-in Pol. - F BSP cylindrique

Automatico diritto femmina



PIPE TUBO	THREAD ROSCA	Part nº Referencia
4 mm	1/8"	PCF 0401
6 mm	1/8"	PCF 0601
6 mm	1/4"	PCF 0602
8 mm	1/8"	PCF 0801
8 mm	1/4"	PCF 0802
8 mm	3/8"	PCF 0803
10 mm	1/4"	PCF 1002
12 mm	3/8"	PCF 1203

Conexión Push-in automático

Push-in Fittings

Raccords Automatiques Push-in

Raccordi automatici Push-in



Auto. Pol.-codo orientable M BSP cilíndrico/M métrico c/junta

Push-in Pol. - elbow banjo M BSP parallel/M metric w/o'ring

Push-in Pol. - coude orientable M BSP cylindrique /M métrique avec o'ring

Automatico orientable a 90 con o'ring



PIPE TUBO	THREAD ROSCA	Part nº Referencia
4 mm	1/8"	PHCI 0401
4 mm	M5	PHCI 04M5
6 mm	1/8"	PHCI 0601
6 mm	1/4"	PHCI 0602
8 mm	1/8"	PHCI 0801
8 mm	1/4"	PHCI 0802
8 mm	3/8"	PHCI 0803
10 mm	3/8"	PHCI 1003

Auto. Pol.-codo giratorio M BSP cilíndrico/M métrico c/junta

Push-in Pol. - elbow adjustable M BSP parallel/M metric w/o'ring

Push-in Pol. - coude tournant M BSP cylindrique /M métrique avec o'ring

Automatico maschio a 90 girevole con o'ring



PIPE TUBO	THREAD ROSCA	Part nº Referencia
4 mm	1/8"	PLCI 0401
4 mm	1/4"	PLCI 0402
4 mm	M5	PLCI 04M5
6 mm	1/8"	PLCI 0601
6 mm	1/4"	PLCI 0602
6 mm	3/8"	PLCI 0603
6 mm	M5	PLCI 06M5
8 mm	1/8"	PLCI 0801
8 mm	1/4"	PLCI 0802
8 mm	3/8"	PLCI 0803
10 mm	1/4"	PLCI 1002
10 mm	3/8"	PLCI 1003
10 mm	1/2"	PLCI 1004
12 mm	1/4"	PLCI 1202
12 mm	3/8"	PLCI 1203
12 mm	1/2"	PLCI 1204

Auto. Pol.-codo giratorio cuerpo metálico M BSP cilíndrico/M métrico c/junta

Push-in Pol. - elbow adjustable metallic body M BSP parallel/M metric w/o'ring

Push-in Pol. - coude tournant corps métallique M BSP cylindrique /M métrique avec o'ring

Automatico a 90 maschio girevole con o'ring



PIPE TUBO	THREAD ROSCA	Part nº Referencia
4 mm	1/8"	50115 4 1/8
4 mm	M5	50115 4 M5
6 mm	1/8"	50115 6 1/8
6 mm	1/4"	50115 6 1/4
6 mm	M5	50115 6 M5
8 mm	1/8"	50115 8 1/8
8 mm	1/4"	50115 8 1/4
8 mm	3/8"	50115 8 3/8
10 mm	1/4"	50115 10 1/4
10 mm	3/8"	50115 10 3/8
10 mm	1/2"	50115 10 1/2
12 mm	3/8"	50115 12 3/8
12 mm	1/2"	50115 12 1/2

Auto. Pol.-codo microrregulador p/cilindro M BSP cilíndrico/M métrico

Push-in Pol. - elbow speed controller for cylinder M BSP parallel/M metric

Push-in Pol. - coude micro-regulateur M BSP cylindrique /M métrique

Microregolatore per cilindro BSP



PIPE TUBO	THREAD ROSCA	Part nº Referencia
4 mm	1/8"	SCL 0401
4 mm	1/4"	SCL 0402
4 mm	M5	SCL 04M5
6 mm	1/8"	SCL 0601
6 mm	1/4"	SCL 0602
6 mm	3/8"	SCL 0603
6 mm	M5	SCL 06M5
8 mm	1/8"	SCL 0801
8 mm	1/4"	SCL 0802
8 mm	3/8"	SCL 0803
10 mm	1/4"	SCL 1002
10 mm	3/8"	SCL 1003
12 mm	1/4"	SCL 1202
12 mm	3/8"	SCL 1203
12 mm	1/2"	SCL 1204

Auto. Pol.-T central giratorio M BSP cilíndrico c/junta

Push-in Pol. - Tee central adjustable M BSP parallel w/o'ring

Push-in Pol. - T central tournant M BSP cylindrique avec o'ring

Automatico T girevole centrale con o'ring



PIPE TUBO	THREAD ROSCA	Part nº Referencia
4 mm	1/8"	PTCI 0401
4 mm	M5	PTCI 04M5
6 mm	1/8"	PTCI 0601
6 mm	M5	PTCI 06M5
8 mm	1/8"	PTCI 0801
8 mm	3/8"	PTCI 0803
10 mm	1/4"	PTCI 1002
10 mm	3/8"	PTCI 1003
12 mm	3/8"	PTCI 1203

Auto. Pol.-T central giratorio cuerpo metálico M BSP cilíndrico c/junta

Push-in Pol. - Tee central adjustable metallic body M BSP parallel w/o'ring

Push-in Pol. - T central tournant corps métallique M BSP cylindrique avec o'ring

Automatico a T maschio girevole centrale con o'ring



PIPE TUBO	THREAD ROSCA	Part nº Referencia
4 mm	1/8"	50215 4 1/8
4 mm	1/4"	50215 4 1/4
6 mm	1/8"	50215 6 1/8
6 mm	1/4"	50215 6 1/4
8 mm	1/8"	50215 8 1/8
8 mm	1/4"	50215 8 1/4
10 mm	1/4"	50215 10 1/4
10 mm	3/8"	50215 10 3/8
12 mm	3/8"	50215 12 3/8
12 mm	1/2"	50215 12 1/2

Conexión Push-in automático

Push-in Fittings

Raccords Automatiques Push-in

Raccordi automatici Push-in



Auto. Pol.-T lateral giratorio M BSP cilíndrico c/junta

Push-in Pol. - T lateral adjustable M BSP parallel w/o'ring

Push-in Pol. - T lateral tournant M BSP cylindrique avec o'ring

Automatico T girevole laterale con o'ring



PIPE TUBO	THREAD ROSCA	Part nº Referencia
4 mm	1/8"	PSTCI 0401
6 mm	1/8"	PSTCI 0601
6 mm	1/4"	PSTCI 0602
8 mm	1/8"	PSTCI 0801
8 mm	1/4"	PSTCI 0802
10 mm	1/4"	PSTCI 1002
10 mm	3/8"	PSTCI 1003
12 mm	3/8"	PSTCI 1203

Auto. Pol.-T lateral giratorio cuerpo metálico M BSP cilíndrico c/junta

Push-in Pol. - T lateral adjustable metallic body M BSP parallel w/o'ring

Push-in Pol. - T lateral tournant corps métallique M BSP cylindrique avec o'ring

Automatico a T maschio girevole laterale con o'ring



PIPE TUBO	THREAD ROSCA	Part nº Referencia
4 mm	1/8"	50225 4 1/8
6 mm	1/8"	50225 6 1/8
6 mm	1/4"	50225 6 1/4
8 mm	1/8"	50225 8 1/8
8 mm	1/4"	50225 8 1/4
10 mm	1/4"	50225 10 1/4
10 mm	3/8"	50225 10 3/8
12 mm	3/8"	50225 12 3/8

Auto. Pol.-intermedio

Push-in Pol.-union

Push-in technopolymère - Union à piquage

Automatico intermedio



PIPE TUBO	PIPE TUBO	Part nº Referencia
6 mm	4 mm	PG 0604
8 mm	6 mm	PG 0806
10 mm	8 mm	PG 1008
12 mm	10 mm	PG 1210
4 mm	4 mm	PUC 04
6 mm	6 mm	PUC 06
8 mm	8 mm	PUC 08
10 mm	10 mm	PUC 10
12 mm	12 mm	PUC 12

Auto. Pol.-regulador en línea unidireccional

Push-in Pol.-unidirectional straight speed controller

Push-in technopolymère - Régulateur de débit en ligne unidirectionnel

Regolatore di flusso in linea



PIPE TUBO	Part nº Referencia
4 mm	SCU 04
6 mm	SCU 06
8 mm	SCU 08
10 mm	SCU 10

Auto. Pol.-intermedio cuerpo metálico

Push-in Pol.-union metallic body

Push-in technopolymère - Piquage corps métallique

Automatico intermedio



PIPE TUBO	Part nº Referencia
4 mm	50040 4
6 mm	50040 6
8 mm	50040 8
10 mm	50040 10
12 mm	50040 12

Auto. Pol.-reductor insertable

Push-in Pol.-plug-in reducer

Push-in technopolymère - Piquage de réduction

Automatico di riduzione



PIPE TUBO	PIPE TUBO	Part nº Referencia
6 mm	4 mm	PR 0604
8 mm	4 mm	PR 0804
8 mm	6 mm	PR 0806
10 mm	6 mm	PR 1006
10 mm	8 mm	PR 1008
12 mm	8 mm	PR 1208
12 mm	10 mm	PR 1210

Auto. Pol.-reductor insertable cuerpo metálico

Push-in Pol.-plug-in reducer metallic body

Push-in technopolymère - Piquage de réduction corps métallique

Automatico di riduzione corpo metallico



PIPE TUBO	PIPE TUBO	Part nº Referencia
6 mm	4 mm	PRM 0604
8 mm	4 mm	PRM 0804
8 mm	6 mm	PRM 0806
10 mm	6 mm	PRM 1006
10 mm	8 mm	PRM 1008
12 mm	8 mm	PRM 1208
12 mm	10 mm	PRM 1210

Auto. Pol.-intermedio pasatabique tuerca métrica

Push-in Pol.-union bulkhead w/metric nut

Push-in technopolymère - Piquage passe-doisson métrique

Automatico intermedio passaparete



PIPE TUBO	THREAD ROSCA	Part nº Referencia
4 mm	M12x1	PMM 04
6 mm	M14x1	PMM 06
8 mm	M16x1	PMM 08
10 mm	M20x1	PMM 10
12 mm	M22x1	PMM 12

Conexión Push-in automático

Push-in Fittings

Raccords Automatiques Push-in

Raccordi automatici Push-in



Auto. Pol.-cuerpo orientable metálico

Push-in Pol.-banjo body metallic body

Push-in technopolymère - Corps orientable métallique

Automatico orientabile



PIPE TUBO	THREAD ROSCA	Part n° Referencia
4 mm	M5	50500 4 M5
4 mm	M6	50500 4 M6
4 mm	1/2"	50500 4 1/8
6 mm	M5	50500 6 M5
6 mm	M6	50500 6 M6
6 mm	1/8"	50500 6 1/8
6 mm	1/4"	50500 6 1/4
8 mm	1/8"	50500 8 1/8
8 mm	1/4"	50500 8 1/4
8 mm	3/8"	50500 8 3/8
10 mm	1/4"	50500 10 1/4
10 mm	3/8"	50500 10 3/8
12 mm	3/8"	50500 12 3/8
12 mm	1/2"	50500 12 1/2

Tornillo orientable simple M BSP cilíndrico/M métrico

Simple banjo bolt M BSP parallel/M metric

Vis pour banjo simple M BSP cil./ M Métrique

Bullone per automatico orientabile



THREAD ROSCA	Part n° Referencia
M5	51410 M5
M6	51410 M6
M12	51410 M12
1/8"	51410 1/8
1/4"	51410 1/4
3/8"	51410 3/8

Auto. Pol.-codo intermedio

Push-in Pol.-elbow union

Push-in technopolymère - Coude d'union à piquage

Automatico intermedio a 90



PIPE TUBO	Part n° Referencia
4 mm	PUL 04
6 mm	PUL 06
8 mm	PUL 08
10 mm	PUL 10
12 mm	PUL 12

Auto. Pol.-codo intermedio cuerpo metálico

Push-in Pol.-elbow union metallic body

Push-in technopolymère - Piquage coude corps métallique

Automatico a 90 intermedio



PIPE TUBO	Part n° Referencia
4 mm	50130 4
6 mm	50130 6
8 mm	50130 8
10 mm	50130 10
12 mm	50130 12

Auto. Pol.-codo insertable

Push-in Pol.-elbow plug-in

Push-in technopolymère - Coude à piquage lisse

Automatico estremita tubolare



PIPE TUBO	Part n° Referencia
4 mm	PLJ 04
6 mm	PLJ 06
8 mm	PLJ 08
10 mm	PLJ 10
12 mm	PLJ 12

Auto. Pol.-T intermedio

Push-in Pol.-Tee union

Push-in technopolymère - Piquage en Té

Automatico T intermedio



PIPE TUBO	Part n° Referencia
4 mm	PUT 04
6 mm	PUT 06
8 mm	PUT 08
10 mm	PUT 10
12 mm	PUT 12

Auto. Pol.-T intermedio cuerpo metálico

Push-in Pol.-Tee union metallic body

Push-in technopolymère - Té à piquage

Automatico a T intermedio



PIPE TUBO	Part n° Referencia
4 mm	50230 4
6 mm	50230 6
8 mm	50230 8
10 mm	50230 10
12 mm	50230 12

Conexión Push-in automático

Push-in Fittings

Raccords Automatiques Push-in

Raccordi automatici Push-in



Auto. Pol.-Y intermedio

Push-in Pol.-Y union

Push-in technopolymère - Piquage en Y

Automatico intermedio a Y



PIPE TUBO	Part n° Referencia
4 mm	PY 04
6 mm	PY 06
8 mm	PY 08
10 mm	PY 10
12 mm	PY 12

Auto. Pol.-Y intermedio cuerpo metálico

Push-in Pol.-Y union metallic body

Push-in technopolymère - Piquage en Y

Automatico a Y intermedio



PIPE TUBO	Part n° Referencia
4 mm	50310 4
6 mm	50310 6
8 mm	50310 8

Auto. Pol.-Y central insertable

Push-in Pol.-Y central plug-in

Push-in technopolymère - Piquage en Y simple lisse

Automatico a Y estremita tubolare centrale



PIPE TUBO		Part n° Referencia
6 mm	4 mm	PWJ 0604
8 mm	6 mm	PWJ 0806
10 mm	8 mm	PWJ 1008
12 mm	10 mm	PWJ 1210
4 mm	4 mm	PYJ 04
6 mm	6 mm	PYJ 06
8 mm	8 mm	PYJ 08
10 mm	10 mm	PYJ 10
12 mm	12 mm	PYJ 12

Auto. Pol.-cruz intermedio

Push-in Pol.-cross union

Push-in technopolymère - Croix à piquage

Automatico intermedio a croce



PIPE TUBO	Part n° Referencia
4 mm	PZA 04
6 mm	PZA 06
8 mm	PZA 08
10 mm	PZA 10
12 mm	PZA 12

Auto. Pol.-múltiple intermedio

Push-in Pol.-Multiple union

Push-in technopolymère - Piquage multiple

Automatico intermedio con uscite multiple



PIPE TUBO		Part n° Referencia
6 mm	4 mm	PKG 0604
8 mm	4 mm	PKG 0804
10 mm	6 mm	PKG 1006
10 mm	8 mm	PKG 1008

Tapón insertable para automático

Plug-in for push-in

Piquage bouchon

Automatico tappo



PIPE TUBO	Part n° Referencia
4 mm	TAP 04
6 mm	TAP 06
8 mm	TAP 08
10 mm	TAP 10
12 mm	TAP 12

Conexión Push-in automático

Push-in Fittings

Raccords Automatiques Push-in

Raccordi automatici Push-in



Auto. Met.-M BSPT cónico

Push-in Met.-M BSPT tapered

Push-in métallique - M BSPT conique

Automatico diritto maschio



PIPE TUBO	THREAD ROSCA	Part n° Referencia
4 mm	1/8"	MPC 0401
4 mm	1/4"	MPC 0402
6 mm	1/8"	MPC 0601
6 mm	1/4"	MPC 0602
6 mm	3/8"	MPC 0603
8 mm	1/8"	MPC 0801
8 mm	1/4"	MPC 0802
8 mm	3/8"	MPC 0803
10 mm	1/8"	MPC 1001
10 mm	1/4"	MPC 1002
10 mm	3/8"	MPC 1003
10 mm	1/2"	MPC 1004

Auto. Met.-codo giratorio M BSPT cónico

Push-in Met.-elbow adjustable M BSPT tapered

Push-in métallique - Coude orientable M BSPT conique

Automatico maschio girevole



PIPE TUBO	THREAD ROSCA	Part n° Referencia
4 mm	1/8"	MPL 0401
4 mm	1/4"	MPL 0402
6 mm	1/8"	MPL 0601
6 mm	1/4"	MPL 0602
8 mm	1/8"	MPL 0801
8 mm	1/4"	MPL 0802
8 mm	3/8"	MPL 0803
10 mm	1/4"	MPL 1002
10 mm	3/8"	MPL 1003
10 mm	1/2"	MPL 1004

Auto. Met.-M BSP cilíndrico/M métrico c/junta

Push-in Met.-M BSP parallel/M metric w/o'ring

Push-in mét. - Piquage droit mâle BSP cylindrique/ M métrique avec o'ring

Automatico diritto maschio cilindrico con o'ring



PIPE TUBO	THREAD ROSCA	Part n° Referencia
4 mm	M5	MPCCI 04M5
4 mm	1/8"	MPCCI 0401
4 mm	1/4"	MPCCI 0402
6 mm	1/8"	MPCCI 0601
6 mm	1/4"	MPCCI 0602
6 mm	3/8"	MPCCI 0603
8 mm	1/8"	MPCCI 0801
8 mm	1/4"	MPCCI 0802
8 mm	3/8"	MPCCI 0803
10 mm	1/4"	MPCCI 1002
10 mm	3/8"	MPCCI 1003
10 mm	1/2"	MPCCI 1004
12 mm	1/4"	MPCCI 1202
12 mm	3/8"	MPCCI 1203
12 mm	1/2"	MPCCI 1204

Auto. Met.-codo orientable M BSP cilíndrico c/junta

Push-in Met.-elbow banjo M BSP parallel w/o'ring

Push-in mét. - Coude orientable M BSP cylindrique avec o'ring

Automatico estremita tubolare a 90 cilindrico



PIPE TUBO	THREAD ROSCA	Part n° Referencia
6 mm	1/8"	MPHCI 0601
8 mm	1/4"	MPHCI 0802
10 mm	1/4"	MPHCI 1002

Auto. Met.-codo giratorio M BSP cilíndrico/M métrico c/junta

Push-in Met.-elbow adjustable M BSP parallel/M metric w/o'ring

Push-in mét. - Coude orientable M BSP cylindrique / M métrique avec o'ring

Automatico girevole cilindrico con o'ring



PIPE TUBO	THREAD ROSCA	Part n° Referencia
4 mm	M5	MPLCI 04M5
4 mm	1/8"	MPLCI 0401
4 mm	1/4"	MPLCI 0402
6 mm	1/8"	MPLCI 0601
6 mm	1/4"	MPLCI 0602
6 mm	3/8"	MPLCI 0603
8 mm	1/8"	MPLCI 0801
8 mm	1/4"	MPLCI 0802
8 mm	3/8"	MPLCI 0803
10 mm	1/4"	MPLCI 1002
10 mm	3/8"	MPLCI 1003
12 mm	1/4"	MPLCI 1202
12 mm	3/8"	MPLCI 1203
12 mm	1/2"	MPLCI 1204

Auto. Met.-H BSP cilíndrico

Push-in Met.-F BSP parallel

Push-in mét. - Piquage droit femelle BSP cylindrique

Automatico diritto femmina cilindrico



PIPE TUBO	THREAD ROSCA	Part n° Referencia
4 mm	1/8"	MPCF 0401
6 mm	1/8"	MPCF 0601
6 mm	1/4"	MPCF 0602
8 mm	1/8"	MPCF 0801
8 mm	1/4"	MPCF 0802
10 mm	1/4"	MPCF 1002
12 mm	3/8"	MPCF 1203

Conexión Push-in automático

Push-in Fittings

Raccords Automatiques Push-in

Raccordi automatici Push-in



Auto. Met.-codo microrregulador p/cilindro M BSP cilíndrico c/junta

Push-in Met.-elbow speed controller for cylinder M BSP parallel w/o ring

Push-in mét. - Microrégulateur pour vérins cylindrique M BSP cylindrique avec o'ring

Microregolatore cilindrico per cilindro con o'ring



PIPE TUBO	THREAD ROSCA	Part n° Referencia
4 mm	1/8"	MSCL 0401
4 mm	1/4"	MSCL 0402
6 mm	1/8"	MSCL 0601
6 mm	1/4"	MSCL 0602
6 mm	3/8"	MSCL 0603
8 mm	1/8"	MSCL 0801
8 mm	1/4"	MSCL 0802
8 mm	3/8"	MSCL 0803
10 mm	1/4"	MSCL 1002

Auto. Met.-T lateral giratorio M BSP cilíndrico c/junta

Push-in Met.-Tee lateral adjustable M BSP parallel w/o ring

Push-in mét. - Té à piquage mâle tournant latéral BSP cylindrique avec o'ring

Automatico T maschio girevole laterale cilindrico con o'ring



PIPE TUBO	THREAD ROSCA	Part n° Referencia
4 mm	1/8"	MPSTCI 0401
4 mm	1/4"	MPSTCI 0402
6 mm	1/8"	MPSTCI 0601
6 mm	1/4"	MPSTCI 0602
6 mm	3/8"	MPSTCI 0603
8 mm	1/8"	MPSTCI 0801
8 mm	1/4"	MPSTCI 0802
8 mm	3/8"	MPSTCI 0803
10 mm	1/4"	MPSTCI 1002

Auto. Met.-T central giratorio M BSP cilíndrico c/junta

Push-in Met.-Tee central adjustable M BSP parallel w/o ring

Push-in mét. - Té à piquage mâle tournant central BSP cylindrique avec o'ring

Automatico T maschio girevole centrale cilindrico con o'ring



PIPE TUBO	THREAD ROSCA	Part n° Referencia
4 mm	1/8"	MPTCI 0401
6 mm	1/8"	MPTCI 0601
6 mm	1/4"	MPTCI 0602
8 mm	1/8"	MPTCI 0801
8 mm	1/4"	MPTCI 0802
8 mm	3/8"	MPTCI 0803
10 mm	1/4"	MPTCI 1002
10 mm	3/8"	MPTCI 1003
12 mm	3/8"	MPTCI 1203

Auto. Met.-intermedio

Push-in Met.-union

Push-in métallique - Union à piquage

Automatico intermedio



PIPE TUBO	Part n° Referencia
4 mm	MPUC 04
6 mm	MPUC 06
8 mm	MPUC 08
10 mm	MPUC 10
12 mm	MPUC 12

Auto. Met.-codo intermedio

Push-in Met.-elbow union

Push-in technopolymère - Union à piquage

Automatico intermedio a 90



PIPE TUBO	Part n° Referencia
4 mm	MPUL 04
6 mm	MPUL 06
8 mm	MPUL 08
10 mm	MPUL 10

Auto. Met.-intermedio pasatabique tuercas métrica

Push-in Met.-union bulkhead w/metric nut

Push-in métallique - Piquage passe-cloison cylindrique

Automatico intermedio passaparete cilindrico



PIPE TUBO	THREAD ROSCA	Part n° Referencia
4 mm	M12X1	MPMM 04
6 mm	M14X1	MPMM 06
8 mm	M16X1	MPMM 08
10 mm	M20X1	MPMM 10
12 mm	M22X1	MPMM 12

Auto. Met.-T intermedio

Push-in Met.-Tee union

Push-in métallique - Piquage en Té intermédiaire

Automatico T intermedio



PIPE TUBO	Part n° Referencia
4 mm	MPUT 04
6 mm	MPUT 06
8 mm	MPUT 08
10 mm	MPUT 10
12 mm	MPUT 12

Conexión Push-in automático

Push-in Fittings

Raccords Automatiques Push-in

Raccordi automatici Push-in



Auto. Met.-Y intermedio

Push-in Met.-Y union

Push-in métallique - Piquage en Y

Automatico intermedio a Y



PIPE TUBO	Part nº Referencia
4 mm	MPY 04
6 mm	MPY 06
8 mm	MPY 08
10 mm	MPY 10
12 mm	MPY 12

Tapón insertable para automático

Plug-in for Push-in

Piquage bouchon

Automatico tappo



PIPE TUBO	Part nº Referencia
4 mm	TAP 04
6 mm	TAP 06
8 mm	TAP 08
10 mm	TAP 10
12 mm	TAP 12

Insertable para automático cuerpo metálico M BSP

Plug-in for Push-in M BSP

Insertable pour adaptateur M BSP cylindrique
corps métallique

Adattatore maschio cilindrico



PIPE TUBO	THREAD ROSCA	Part nº Referencia
4 mm	1/8"	50600 4 1/8
6 mm	1/8"	50600 6 1/8
6 mm	1/4"	50600 6 1/4
8 mm	1/8"	50600 8 1/8
8 mm	1/4"	50600 8 1/4
8 mm	3/8"	50600 8 3/8
10 mm	1/4"	50600 10 1/4
10 mm	3/8"	50600 10 3/8
12 mm	1/4"	50600 12 1/4
12 mm	3/8"	50600 12 3/8

Conexión con espiga

Hose tail-M BSPT tapered
Raccords avec embout
Raccordi con inserto



Espiga-M BSPT cónico

Hose tail-M BSPT tapered

Douille mâle BSP cylindrique

Inserto maschio cilindrico senza o-ring



PIPE TUBO	THREAD ROSCA	Part nº Referencia
6 mm	1/8"	3040 6 1/8
6 mm	1/4"	3040 6 1/4
7 mm	1/8"	3040 7 1/8
7 mm	1/4"	3040 7 1/4
8 mm	1/8"	3040 8 1/8
8 mm	1/4"	3040 8 1/4
9 mm	1/8"	3040 9 1/8
9 mm	1/4"	3040 9 1/4
9 mm	3/8"	3040 9 3/8
9 mm	1/2"	3040 9 1/2
10 mm	1/4"	3040 10 1/4
10 mm	3/8"	3040 10 3/8
10 mm	1/2"	3040 10 1/2
12 mm	1/4"	3040 12 1/4
12 mm	3/8"	3040 12 3/8
12 mm	1/2"	3040 12 1/2
14 mm	3/8"	3040 14 3/8
14 mm	1/2"	3040 14 1/2
16 mm	3/8"	3040 16 3/8
16 mm	1/2"	3040 16 1/2

Espiga doble

Doble hose tail connector

Douille double jonction

Inserto doppio



PIPE TUBO	Part nº Referencia
6 mm	3055 6
8 mm	3055 8
10 mm	3055 10

Espiga-M BSP cilíndrico C/J

Hose tail-M BSP parallel w.o-ring

Douille mâle BSP cylindrique avec joint

Inserto maschio cilindrico con o-ring



PIPE TUBO	THREAD ROSCA	Part nº Referencia
7 mm	1/8"	3045 7 1/8
7 mm	1/4"	3045 7 1/4
8 mm	1/8"	3045 8 1/8
9 mm	1/8"	3045 9 1/8
9 mm	1/4"	3045 9 1/4
9 mm	3/8"	3045 9 3/8
12 mm	1/4"	3045 12 1/4
12 mm	3/8"	3045 12 3/8
12 mm	1/2"	3045 12 1/2

Espiga-H BSP cilíndrico

Hose tail-F BSP parallel

Douille femelle BSP cylindrique

Inserto femmina



PIPE TUBO	THREAD ROSCA	Part nº Referencia
6 mm	1/8"	3050 6 1/8
7 mm	1/8"	3050 7 1/8
7 mm	1/4"	3050 7 1/4
8 mm	1/4"	3050 8 1/4
9 mm	1/4"	3050 9 1/4
9 mm	3/8"	3050 9 3/8
10 mm	3/8"	3050 10 3/8
12 mm	3/8"	3050 12 3/8
12 mm	1/2"	3050 12 1/2

Espiga macho cilíndrico sin junta

Male hose adapter parallel without o-ring

Douille mâle cylindrique sans joint

Inserto maschio cilindrico senza giunta



PIPE TUBO	THREAD ROSCA	Part nº Referencia
9 mm	3/8"	3045A 9 3/8
12 mm	1/4"	3045A 12 1/4
12 mm	1/2"	3045A 12 1/2

Hasta fin de existencias. / Until end of stock. / Jusqu'à la fin du stock. / Fino ad esaurimento scorta.

Conexión Push-on

Push-on Fittings
Raccords Push-on
Raccordi Push-on



Push-on-M BSPT cónico

Push-on-M BSPT tapered

Raccord droit mâle conique

Raccordo maschio conico



PIPE TUBO	THREAD ROSCA	Part n° Referencia
4/2.7 mm	1/8"	1000 4/2.7 1/8
6/4 mm	1/8"	1000 6/4 1/8
6/4 mm	1/4"	1000 6/4 1/4
6/4 mm	3/8"	1000 6/4 3/8
8/6 mm	1/8"	1000 8/6 1/8
8/6 mm	1/4"	1000 8/6 1/4
8/6 mm	3/8"	1000 8/6 3/8
8/6 mm	1/2"	1000 8/6 1/2 *
10/8 mm	1/4"	1000 10/8 1/4
10/8 mm	3/8"	1000 10/8 3/8
10/8 mm	1/2"	1000 10/8 1/2
12/10 mm	3/8"	1000 12/10 3/8
12/10 mm	1/2"	1000 12/10 1/2

*Hasta fin de existencias. / *Until end of stock. / *Jusqu'à la fin du stock. / *Fino ad esaurimento scorta.

Push-on-giratorio M BSPT cónico

Push-on-adjustable M BSPT tapered

Raccord droit mâle tournant conique

Raccordo maschio conico girevole



PIPE TUBO	THREAD ROSCA	Part n° Referencia
6/4 mm	1/8"	1010 6/4 1/8
6/4 mm	1/4"	1010 6/4 1/4
8/6 mm	1/8"	1010 8/6 1/8
8/6 mm	1/4"	1010 8/6 1/4
10/8 mm	1/4"	1010 10/8 1/4
12/8 mm	3/8"	1010 12/8 3/8
12/10 mm	3/8"	1010 12/10 3/8

Push-on-codo M BSPT cónico

Push-on-elbow M BSPT tapered

Raccord coudé mâle conique

Raccordo a 90 maschio conico



PIPE TUBO	THREAD ROSCA	Part n° Referencia
4/2.7 mm	1/8"	1100 4/2.7 1/8
6/4 mm	1/8"	1100 6/4 1/8
6/4 mm	1/4"	1100 6/4 1/4
6/4 mm	3/8"	1100 6/4 3/8
8/6 mm	1/8"	1100 8/6 1/8
8/6 mm	1/4"	1100 8/6 1/4
8/6 mm	3/8"	1100 8/6 3/8
8/6 mm	1/2"	1100 8/6 1/2
10/8 mm	1/4"	1100 10/8 1/4
10/8 mm	3/8"	1100 10/8 3/8
10/8 mm	1/2"	1100 10/8 1/2
12/10 mm	3/8"	1100 12/10 3/8
12/10 mm	1/2"	1100 12/10 1/2

Push-on-codo giratorio M BSPT cónico

Push-on-elbow adjustable M BSPT tapered

Raccord coudé tournant mâle conique

Raccordo a 90 maschio conico girevole



PIPE TUBO	THREAD ROSCA	Part n° Referencia
4/2.7 mm	1/8"	1110 4/2.7 1/8
6/4 mm	1/8"	1110 6/4 1/8
6/4 mm	1/4"	1110 6/4 1/4
8/6 mm	1/8"	1110 8/6 1/8
8/6 mm	1/4"	1110 8/6 1/4
10/8 mm	1/4"	1110 10/8 1/4

Push-on-T central giratorio M BSPT cónico

Push-on-Tee central adjustable M BSPT tapered

Raccord en té avec tournant mâle central

Raccordo a T maschio conico girevole centrale



PIPE TUBO	THREAD ROSCA	Part n° Referencia
6/4 mm	1/8"	1210 6/4 1/8
6/4 mm	1/4"	1210 6/4 1/4
8/6 mm	1/8"	1210 8/6 1/8
8/6 mm	1/4"	1210 8/6 1/4
10/8 mm	1/4"	1210 10/8 1/4

Push-on-T lateral M BSPT cónico

Push-on-Tee lateral M BSPT tapered

Raccord en té avec mâle conique latéral

Raccordo a Y laterale conico maschio



PIPE TUBO	THREAD ROSCA	Part n° Referencia
6/4 mm	1/8"	1220 6/4 1/8
6/4 mm	1/4"	1220 6/4 1/4
8/6 mm	1/8"	1220 8/6 1/8
8/6 mm	1/4"	1220 8/6 1/4
10/8 mm	1/4"	1220 10/8 1/4
10/8 mm	3/8"	1220 10/8 3/8
12/10 mm	3/8"	1220 12/10 3/8

Conexión Push-on

Push-on Fittings
Raccords Push-on
Raccordi Push-on



Push-on-M BSP cilíndrico/M métrico c/junta

Push-on-M BSP/M metric w/o'ring parallel

Raccord droit mâle cylindrique avec o'ring

Raccordo maschio cilindrico con o-ring



PIPE TUBO	THREAD ROSCA	Part n° Referencia
4/2.7 mm	1/8"	1020 4/2.7 1/8
6/4 mm	1/8"	1020 6/4 1/8
6/4 mm	1/4"	1020 6/4 1/4
6/4 mm	3/8"	1020 6/4 3/8
6/4 mm	1/2"	1020 6/4 1/2
8/6 mm	1/8"	1020 8/6 1/8
8/6 mm	1/4"	1020 8/6 1/4
8/6 mm	3/8"	1020 8/6 3/8
8/6 mm	1/2"	1020 8/6 1/2
10/8 mm	1/4"	1020 10/8 1/4
10/8 mm	3/8"	1020 10/8 3/8
10/8 mm	1/2"	1020 10/8 1/2
12/10 mm	3/8"	1020 12/10 3/8
12/10 mm	1/2"	1020 12/10 1/2
6/4 mm	M5	1021 6/4 M5
6/4 mm	M6	1021 6/4 M6

Push-on-H BSP cilíndrico

Push-on-F BSP parallel

Raccord droit femelle

Raccordo femmina



PIPE TUBO	THREAD ROSCA	Part n° Referencia
6/4 mm	1/8"	1030 6/4 1/8
6/4 mm	1/4"	1030 6/4 1/4
6/4 mm	3/8"	1030 6/4 3/8
8/6 mm	1/8"	1030 8/6 1/8
8/6 mm	1/4"	1030 8/6 1/4
8/6 mm	3/8"	1030 8/6 3/8
8/6 mm	1/2"	1030 8/6 1/2
10/8 mm	1/4"	1030 10/8 1/4
10/8 mm	3/8"	1030 10/8 3/8
10/8 mm	1/2"	1030 10/8 1/2
12/10 mm	3/8"	1030 12/10 3/8

Push-on-codo giratorio M BSP cilíndrico c/junta

Push-on-elbow adjustable M BSP parallel w/o'ring

Raccord coudé tournant mâle cylindrique avec o'ring

Raccordo a 90 maschio girevole con o'ring



PIPE TUBO	THREAD ROSCA	Part n° Referencia
4/2.7 mm	1/8"	1115 4/2.7 1/8
6/4 mm	1/4"	1115 6/4 1/4
8/6 mm	1/8"	1115 8/6 1/8
8/6 mm	1/4"	1115 8/6 1/4
10/8 mm	1/4"	1115 10/8 1/4

Push-on-codo H BSP cilíndrico

Push-on-elbow F BSP parallel

Raccord coudé femelle

Raccordo a 90 femmina fissa



PIPE TUBO	THREAD ROSCA	Part n° Referencia
6/4 mm	1/8"	1120 6/4 1/8
6/4 mm	1/4"	1120 6/4 1/4
8/6 mm	1/8"	1120 8/6 1/8
8/6 mm	1/4"	1120 8/6 1/4
10/8 mm	1/4"	1120 10/8 1/4
10/8 mm	3/8"	1120 10/8 3/8

Push-on-T central giratorio M BSP cilíndrico c/junta

Push-on-Tee central adjustable M BSP parallel w/o'ring

Raccord en té avec tournant mâle central avec o'ring

Raccordo a T maschio girevole centrale con o'ring



PIPE TUBO	THREAD ROSCA	Part n° Referencia
6/4 mm	1/8"	1215 6/4 1/8
6/4 mm	1/4"	1215 6/4 1/4
8/6 mm	1/8"	1215 8/6 1/8
8/6 mm	1/4"	1215 8/6 1/4
10/8 mm	1/4"	1215 10/8 1/4

Tuerca para push-on rosca métrica

Nut for Push-on metric thread

Vis de fixation

Dado di fissaggio



PIPE TUBO	THREAD ROSCA	Part n° Referencia
4/2.7 mm	M6X0,5	1700 4/2.7
6/4 mm	M10X1	1700 6/4
8/6 mm	M12x1	1700 8/6
10/8 mm	M14X1	1700 10/8
12/10 mm	M16X1	1700 12/10

Push-on-intermedio

Push-on-Union

Raccord intermédiaire

Raccordo intermedio



PIPE TUBO	PIPE TUBO	Part n° Referencia
4/2.7 mm	4/2.7 mm	1040 4/2.7
6/4 mm	6/4 mm	1040 6/4
8/6 mm	6/4 mm	1040 8/6 6/4
8/6 mm	8/6 mm	1040 8/6
10/8 mm	6/4 mm	1040 10/8 6/4
10/8 mm	8/6 mm	1040 10/8 8/6
10/8 mm	10/8 mm	1040 10/8
12/10 mm	12/10 mm	1040 12/10

Conexión Push-on

Push-on Fittings
Raccords Push-on
Raccordi Push-on



Push-on-intermedio pasatabique c/tuerca métrica

Push-on-Union bulkhead w/metric nut

Raccord passe-cloison

Raccordo passaparete



PIPE TUBO		THREAD ROSCA	Part nº Referencia
4/2.7 mm	4/2.7 mm	M6x0,5	1050 4/2.7
6/4 mm	6/4 mm	M10x1	1050 6/4
8/6 mm	6/4 mm	M12x1	1050 8/6X6/4
8/6 mm	8/6 mm	M12x1	1050 8/6
10/8 mm	6/4 mm	M14x1	1050 10/8X6/4
10/8 mm	8/6 mm	M14x1	1050 10/8X8/6
10/8 mm	10/8 mm	M14x1	1050 10/8
12/10 mm	12/10 mm	M16x1	1050 12/10

Push-on-cuerpo orientable

Push-on-Banjo body

Banjo simple

Occhio orientabile semplice



PIPE TUBO	THREAD ROSCA	Part nº Referencia
4/2.7 mm	1/8"	1500 4/2.7 1/8
6/4 mm	1/8"	1500 6/4 1/8
6/4 mm	1/4"	1500 6/4 1/4
6/4 mm	3/8"	1500 6/4 3/8
6/4 mm	M6	1500 6/4 M6
8/6 mm	1/8"	1500 8/6 1/8
8/6 mm	1/4"	1500 8/6 1/4
8/6 mm	3/8"	1500 8/6 3/8
8/6 mm	1/2"	1500 8/6 1/2
10/8 mm	1/8"	1500 10/8 1/8
10/8 mm	1/4"	1500 10/8 1/4
10/8 mm	3/8"	1500 10/8 3/8
10/8 mm	1/2"	1500 10/8 1/2
12/10 mm	3/8"	1500 12/10 3/8
12/10 mm	1/2"	1500 12/10 1/2

Push-on doble-Cuerpo orientable

Dual Push-on-Banjo body

Banjo double

Occhio orientabile doppio



PIPE TUBO	THREAD ROSCA	Part nº Referencia
4/2.7 mm	1/8"	1510 4/2.7 1/8
6/4 mm	1/8"	1510 6/4 1/8
6/4 mm	1/4"	1510 6/4 1/4
6/4 mm	3/8"	1510 6/4 3/8
8/6 mm	1/8"	1510 8/6 1/8
8/6 mm	1/4"	1510 8/6 1/4
8/6 mm	3/8"	1510 8/6 3/8
8/6 mm	1/2"	1510 8/6 1/2
10/8 mm	1/8"	1510 10/8 1/8
10/8 mm	1/4"	1510 10/8 1/4
10/8 mm	3/8"	1510 10/8 3/8
10/8 mm	1/2"	1510 10/8 1/2
12/10 mm	3/8"	1510 12/10 3/8
12/10 mm	1/2"	1510 12/10 1/2

Tornillo orientable simple M BSP cilíndrico/M métrico

Simple banjo bolt M BSP parallel/M métrico

Vis pour banjo simple

Bullone forato singolo



THREAD ROSCA	Part nº Referencia
M5	51410 M5
M6	51410 M6
M12	51410 M12
1/8"	51410 1/8
1/4"	51410 1/4
3/8"	51410 3/8

Tornillo orientable doble M BSP cilíndrico

Double banjo bolt M BSP parallel

Vis pour banjo double

Bullone forato doppio



THREAD ROSCA	Part nº Referencia
1/8"	51420 1/8
1/4"	51420 1/4
3/8"	51420 3/8
1/2"	51420 1/2

Push-on-codo intermedio

Push-on-elbow union

Raccord coudé intermédiaire

Raccordo a 90 intermedio



PIPE TUBO		Part nº Referencia
4/2.7 mm	4/2.7 mm	1130 4/2.7
6/4 mm	6/4 mm	1130 6/4
8/6 mm	6/4 mm	1130 8/6 6/4
8/6 mm	8/6 mm	1130 8/6
10/8 mm	10/8 mm	1130 10/8
12/10 mm	12/10 mm	1130 12/10

Push-on-T intermedio

Push-on-Tee union

Raccord en té intermédiaire

Raccordo a T intermedio



PIPE TUBO	Part nº Referencia
4/2.7 mm	1230 4/2.7
6/4 mm	1230 6/4
8/6 mm	1230 8/6
10/8 mm	1230 10/8
12/10 mm	1230 12/10

Conexión Push-on

Push-on Fittings
Raccords Push-on
Raccordi Push-on



Push-on-cruz intermedio

Push-on-cross union

Raccord en croix intermédiaire

Raccordo a croce intermedio



PIPE TUBO	Part n° Referencia
6/4 mm	1300 6/4
8/6 mm	1300 8/6
10/8 mm	1300 10/8
12/10 mm	1300 12/10

Push-on c/muelle-M BSPT cónico

Push-on w/nut+spring-M BSPT tapered

Raccord droit mâle conique avec ressort

Raccordo maschio conico+molla



PIPE TUBO	THREAD ROSCA	Part n° Referencia
6/4 mm	1/8"	1025 6/4 1/8
6/4 mm	1/4"	1025 6/4 1/4
8/6 mm	1/8"	1025 8/6 1/8
8/6 mm	1/4"	1025 8/6 1/4
8/6 mm	3/8"	1025 8/6 3/8
8/6 mm	1/2"	1025 8/6 1/2
10/8 mm	1/8"	1025 10/8 1/8
10/8 mm	1/4"	1025 10/8 1/4
10/8 mm	3/8"	1025 10/8 3/8
10/8 mm	1/2"	1025 10/8 1/2
12/10 mm	3/8"	1025 12/10 3/8
12/10 mm	1/2"	1025 12/10 1/2

Push-on c/muelle-M BSP cilíndrico c/junta

Push-on w/nut+spring-M BSP w/o'ring parallel

Raccord droit mâle cylindrique avec ressort

Raccordo maschio +molla



PIPE TUBO	THREAD ROSCA	Part n° Referencia
6/4 mm	1/8"	1028 6/4 1/8
6/4 mm	1/4"	1028 6/4 1/4
6/4 mm	3/8"	1028 6/4 3/8
6/4 mm	1/2"	1028 6/4 1/2
8/6 mm	1/8"	1028 8/6 1/8
8/6 mm	1/4"	1028 8/6 1/4
8/6 mm	3/8"	1028 8/6 3/8
8/6 mm	1/2"	1028 8/6 1/2
10/8 mm	1/4"	1028 10/8 1/4
10/8 mm	3/8"	1028 10/8 3/8
10/8 mm	1/2"	1028 10/8 1/2
12/10 mm	3/8"	1028 12/10 3/8
12/10 mm	1/2"	1028 12/10 1/2

Push-on c/muelle-giratorio M BSP cilíndrico c/junta

Push-on w/nut+spring-adjustable M BSP w/o'ring parallel

Raccord droit tournant mâle cylindrique avec ressort

Raccordo maschio cilindrico girevole con molla



PIPE TUBO	THREAD ROSCA	Part n° Referencia
6/4 mm	1/8"	1027 6/4 1/8
6/4 mm	1/4"	1027 6/4 1/4
8/6 mm	1/4"	1027 8/6 1/8
8/6 mm	1/4"	1027 8/6 1/4
10/8 mm	1/4"	1027 10/8 1/4
12/10 mm	3/8"	1027 12/10 3/8

Push-on c/muelle-H BSP cilíndrico

Push-on w/nut+spring-F BSP parallel

Raccord droit femelle avec ressort

Raccordo femmina+molla



PIPE TUBO	THREAD ROSCA	Part n° Referencia
6/4 mm	1/8"	1035 6/4 1/8
6/4 mm	1/4"	1035 6/4 1/4
6/4 mm	3/8"	1035 6/4 3/8
8/6 mm	1/8"	1035 8/6 1/8
8/6 mm	1/4"	1035 8/6 1/4
8/6 mm	3/8"	1035 8/6 3/8
8/6 mm	1/2"	1035 8/6 1/2
10/8 mm	1/4"	1035 10/8 1/4
10/8 mm	3/8"	1035 10/8 3/8
10/8 mm	1/2"	1035 10/8 1/2
12/10 mm	3/8"	1035 12/10 3/8

Push-on c/muelle-Tuerca de fijación métrica

Push-on w/nut+spring-fixing nut F Métrica parallel

Vis de fixation avec ressort

Dado di fissaggio con molla



PIPE TUBO	THREAD ROSCA	Part n° Referencia
6/4 mm	M10x1	1710 6/4
8/6 mm	M12x1	1710 8/6
10/8 mm	M14x1	1710 10/8
12/10 mm	M16x1	1710 12/10

Adaptador

Adaptors
Adaptateurs
Adattatori



Adaptador M BSPT cónico

Adaptor M BSPT tapered

Adapteur mâle BSPT conique

Maschio conico BSPT



THREAD ROSCA	Part nº Referencia
1/8"	2000 1/8
1/4"	2000 1/4
3/8"	2000 3/8
1/2"	2000 1/2
3/4"	2000 3/4
1"	2000 1

Tapón reductor M BSPT cónico-H BSP cilíndrica

Reducer M BSPT tapered-F BSP parallel

Bouchon reducteur mâle BSPT conique- femelle BSP cylindrique

Tappo di riduzione M BSPT – F BSP



THREAD ROSCA	Part nº Referencia
1/4" 1/8"	2080 1/4 1/8
3/8" 1/8"	2080 3/8 1/8
3/8" 1/4"	2080 3/8 1/4
1/2" 1/4"	2080 1/2 1/8
1/2" 1/4"	2080 1/2 1/4
1/2" 3/8"	2080 1/2 3/8
3/4" 3/8"	2080 3/4 3/8
3/4" 1/2"	2080 3/4 1/2

Reductor M BSPT cónico

Reducer M BSPT tapered

Réducteur mâle BSPT conique

Riduzione Maschio BSPT



THREAD ROSCA	Part nº Referencia
1/8" 1/4"	2020 1/8-1/4
1/8" 3/8"	2020 1/8 3/8
1/8" 1/2"	2020 1/8 1/2
1/4" 1/2"	2020 1/4 1/2
1/4" 3/8"	2020 1/4-3/8
3/8" 1/2"	2020 3/8-1/2
1/2" 3/4"	2020 1/2 3/4

Prolongador M BSPT cónico - H BSP cilíndrico

Extensor M BSPT tapered - F BSP parallel

Prolongateur mâle BSPT conique - femelle BSP cylindrique

Prolunga M BSPT – F BSP



THREAD ROSCA	Part nº Referencia
1/8" 1/8"	2040 1/8 1/8
1/8" 1/4"	2040 1/8 1/4
1/8" 3/8"	2040 1/8 3/8
1/4" 1/4"	2040 1/4 1/4
1/4" 3/8"	2040 1/4 3/8
1/4" 1/2"	2040 1/4 1/2
3/8" 3/8"	2040 3/8 3/8
3/8" 1/2"	2040 3/8 1/2
1/2" 3/8"	2040 1/2 3/8
1/2" 1/2"	2040 1/2 1/2
1/2" 3/4"	2040 1/2 3/4

Prolongador pasatabique rosca M métrico-H BSP cilíndrica/métrica

Extensor bulkhead w/metric M - F BSP parallel/metric

Prolongateur passe-dioison filetage métrique Mâle.-Fem. BSP cylindrique/métrique

Prolunga Passaparete M – F BSP/metrica cil.



THREAD ROSCA	Part nº Referencia
M10x1 M5	3060 M5
M16x1,5 1/8"	3060 1/8
M14x1,5 1/8"	3060 1/8 M14
M20x1,5 1/4"	3060 1/4
M26x1,5 3/8"	3060 3/8
M28x15 1/2"	3060 1/2

Adaptador M BSP cilíndrico

Adaptor M BSP parallel

Adapteur mâle BSP cylindrique

Adattatori cilindrico M BSP



THREAD ROSCA	Part nº Referencia
1/8"	2010 1/8
1/4"	2010 1/4
3/8"	2010 3/8
1/2"	2010 1/2
3/4"	2010 3/4
1"	2010 1

Adaptador

Adaptors
Adaptateurs
Adattatori



Reductor M métrico/M BSP cilíndrico

Reducer M BSP parallel / M metric

Réducteur mâle métrique-mâle BSP cylindrique

Maschio cilindrico di riduzione



THREAD ROSCA		Part nº Referencia
M5	1/8"	2030 M5 1/8
1/8"	1/4"	2030 1/8 1/4
1/8"	3/8"	2030 1/8 3/8
1/4"	3/8"	2030 1/4 3/8
1/4"	1/2"	2030 1/4 1/2
3/8"	1/2"	2030 3/8 1/2
1/2"	3/4"	2030 1/2 3/4

Prolongador M BSP cilíndrico/Métrico - H BSP cilíndrica

Extensor M BSP Parallel/M metric - F BSP parallel

Prolongateur mâle BSP cylindrique/métrique
-fem. BSP cylindrique

Prolunga cilindrica standard



THREAD ROSCA		Part nº Referencia
M5	1/8"	2050 M5 1/8
1/8"	1/8"	2050 1/8 1/8
1/8"	1/4"	2050 1/8 1/4
1/4"	1/4"	2050 1/4 1/4
1/4"	3/8"	2050 1/4 3/8
3/8"	3/8"	2050 3/8 3/8
3/8"	1/2"	2050 3/8 1/2
1/2"	1/2"	2050 1/2 1/2

Prolongador extra M-H BSP cilíndrico

Extra extensor M-F BSP parallel

Prolongateur extra mâle -fem. BSP cylindrique

Prolunga cilindrica



THREAD ROSCA		Part nº Referencia
1/8"	1/8"	2070 1/8 1/8 22
1/8"	1/8"	2070 1/8 1/8 42
1/4"	1/4"	2070 1/4 1/4 35
1/4"	1/4"	2070 1/4 1/4 51

Adaptador H BSP cilíndrico

Adaptor F BSP parallel

Manchon femelle BSP cylindrique

Prolunga femmina



THREAD ROSCA	Part nº Referencia
1/8"	3000 1/8
1/4"	3000 1/4
3/8"	3000 3/8
1/2"	3000 1/2
3/4"	3000 3/4

Tapón reductor M BSP cilíndrico/Métrico-H BSP cilíndrico

Reducer M BSP parallel - F BSP parallel

Bouchon réducteur mâle BSP cylindrique/
métrique - fem. BSP cylindrique

Tappo di riduzione cilindrico



THREAD ROSCA		Part nº Referencia
1/8"	M5	2090 1/8 M5
1/4"	1/8"	2090 1/4 1/8
3/8"	1/8"	2090 3/8 1/8
3/8"	1/4"	2090 3/8 1/4
1/2"	1/4"	2090 1/2 1/4
1/2"	3/8"	2090 1/2 3/8
3/4"	1/2"	2090 3/4 1/2

Reductor H BSP cilíndrico

Reducer F BSP parallel

Réducteur femelle BSP cylindrique

Prolunga femmina di riduzione



THREAD ROSCA		Part nº Referencia
1/8"	1/4"	3010 1/8 1/4
1/8"	3/8"	3010 1/8 3/8
1/4"	3/8"	3010 1/4 3/8
1/4"	1/2"	3010 1/4 1/2
3/8"	1/2"	3010 3/8 1/2
1/2"	3/4"	3010 1/2 3/4

Orientable H BSP cilíndrico

Banjo F BSP parallel

Banjo femelle BSP cylindrique

Occhio filettato femmina



THREAD ROSCA	Part nº Referencia
1/8"	6090 1/8
1/4"	6090 1/4
3/8"	6090 3/8

Tornillo orientable simple M BSP cilíndrico/M métrico

Simple banjo bolt M BSP parallel/M metric

Vis pour banjo simple mâle BSP cylindrique /
mâle métrique

Bullone banjo semplice



THREAD ROSCA	Part nº Referencia
M5	51410 M5
M6	51410 M6
M12	51410 M12
1/8"	51410 1/8
1/4"	51410 1/4
3/8"	51410 3/8

Adaptador

Adaptors
Adaptateurs
Adattatori



Tornillo orientable doble M BSP cilíndrico

Double banjo bolt M BSP parallel

Vis pour banjo double mâle BSP cylindrique

Bullone forato doppio



THREAD ROSCA	Part nº Referencia	€
1/8"	51420 1/8	2,74
1/4"	51420 1/4	3,93
3/8"	51420 3/8	5,93
1/2"	51420 1/2	6,25

Tapón allen interior M BSPT cónico

Internal Allen plug M BSPT tapered

Bouchon mâle BSPT conique Allen intérieur

Tappo maschio conico Allen



THREAD ROSCA	Part nº Referencia	€
1/8"	3025 1/8	0,55
1/4"	3025 1/4	0,85
3/8"	3025 3/8	1,18
1/2"	3025 1/2	1,92

Tapón M BSPT cónico

Plug M BSPT tapered

Bouchon mâle BSPT conique

Tappo maschio conico



THREAD ROSCA	Part nº Referencia	€
1/8"	3021 1/8	1,53
1/4"	3021 1/4	1,70
3/8"	3021 3/8	1,92
1/2"	3021 1/2	3,89

Tapón allen M BSP cilíndrico c/junta

Allen plug M BSP parallel w/o-ring

Bouchon mâle BSP cylindrique Allen avec o-ring

Tappo maschio cilindrico Allen con o-ring



THREAD ROSCA	Part nº Referencia	€
1/8"	3015 1/8	0,77
1/4"	3015 1/4	1,14
3/8"	3015 3/8	1,58
1/2"	3015 1/2	2,76

Tapón M BSP cilíndrico

Plug M BSP parallel

Bouchon mâle BSP cylindrique

Tappo maschio cilindrico



THREAD ROSCA	Part nº Referencia	€
1/8"	3020 1/8	0,79
1/4"	3020 1/4	1,03
3/8"	3020 3/8	1,57
1/2"	3020 1/2	2,39
3/4"	3020 3/4	4,57

Tapón H BSP cilíndrico

Cap F BSP parallel

Bouchon femelle BSP cylindrique

Tappo femmina



THREAD ROSCA	Part nº Referencia	€
1/8"	3030 1/8	0,87
1/4"	3030 1/4	1,18
3/8"	3030 3/8	2,27
1/2"	3030 1/2	4,12

Adaptador

Adaptors
Adaptateurs
Adattatori



Codo M BSPT cónico

Elbow M BSPT tapered

Raccord coudé mâle BSPT conique

Adattore a 90 maschio conico



THREAD ROSCA	Part nº Referencia
1/8"	5000 1/8
1/4"	5000 1/4
3/8"	5000 3/8
1/2"	5000 1/2
3/4"	5000 3/4

Codo H BSP cilíndrico

Elbow F BSP parallel

Raccord coudé femelle BSP cylindrique

Adattore a 90 femmina



THREAD ROSCA	Part nº Referencia
1/8"	5010 1/8
1/4"	5010 1/4
3/8"	5010 3/8
1/2"	5010 1/2
3/4"	5010 3/4

Codo M BSPT cónico-H BSP cilíndrico

Elbow M BSPT tapered-F BSP

Raccord coudé mâle BSPT conique -femelle BSP cylindrique

Adattore maschio conico-femmina



THREAD ROSCA	Part nº Referencia
1/8"	5020 1/8
1/4"	5020 1/4
3/8"	5020 3/8
1/2"	5020 1/2
3/4"	5020 3/4

T M BSPT cónico

Tee M BSPT tapered

Raccord en té mâle BSPT conique

Adattore a T maschio conico



THREAD ROSCA	Part nº Referencia
1/8"	4010 1/8
1/4"	4010 1/4
3/8"	4010 3/8
1/2"	4010 1/2
3/4"	4010 3/4

T lateral H BSP-H BSP-M BSPT cónico

Tee lateral F BSP -F BSP -M BSPT tapered

Raccord en té latéral femelle BSP - femelle BSP-M BSPT conique

Adattore a T maschio conico laterale



THREAD ROSCA	Part nº Referencia
1/8"	4050 1/8
1/4"	4050 1/4
3/8"	4050 3/8
1/2"	4050 1/2
3/4"	4050 3/4

T central H BSP-M BSPT cónico-H BSP

Tee central F BSP -M BSPT -F BSP tapered

Raccord en té central femelle BSP - M BSPT conique - femelle BSP

Adattore a T maschio conico centrale



THREAD ROSCA	Part nº Referencia
1/8"	4040 1/8
1/4"	4040 1/4
3/8"	4040 3/8
1/2"	4040 1/2
3/4"	4040 3/4

T H BSP cilíndrico

Tee F BSP parallel

Raccord en té femelle BSP cylindrique

Adattore a T femmina



THREAD ROSCA	Part nº Referencia
1/8"	4000 1/8
1/4"	4000 1/4
3/8"	4000 3/8
1/2"	4000 1/2
3/4"	4000 3/4

Adaptador

Adaptors
Adaptateurs
Adattatori



Y central H BSP cilíndrico-M BSPT cónico-H BSP cilíndrico

Y central F BSP -M BSPT -F BSP

Raccord en Y central femelle BSP cylindrique - mâle BSPT conique-femelle BSP cylindrique

Adattore a Y maschio



THREAD ROSCA		Part n° Referencia
1/8"	1/8"	6000 1/8
1/4"	1/4"	6000 1/4
3/8"	3/8"	6000 3/8
1/2"	1/2"	6000 1/2

Cruz H BSP cilíndrico

Cross F BSP parallel

Raccord en croix femelle BSP cylindrique

Croce femmina



THREAD ROSCA		Part n° Referencia
1/8"		6020 1/8
1/4"		6020 1/4
3/8"		6020 3/8
1/2"		6020 1/2

Cruz M BSPT cónico

Cross M BSPT tapered

Raccord en croix mâle BSPT conique

Croce maschio



THREAD ROSCA	Part n° Referencia
1/8"	6030 1/8
1/4"	6030 1/4
3/8"	6030 3/8
1/2"	6030 1/2

Cruz en taco H BSP cilíndrico

Cross in block F BSP parallel

Nourrices de distribution en croix taraudée

Croce in blocco



THREAD ROSCA	Part n° Referencia
1/8"	6040 1/8
1/4"	6040 1/4
3/8"	6040 3/8
1/2"	6040 1/2

Regleta lateral en taco H BSP cilíndrico

Distribution manifold-F BSP parallel

Nourrices de distribution taraudée

Blocco a multiuscite



THREAD ROSCA		EXITS NR. N° DE SALIDAS	Part n° Referencia
1/4"	1/8"	2	6047 1/4 1/8 2
1/4"	1/8"	3	6047 1/4 1/8 3
1/4"	1/8"	4	6047 1/4 1/8 4
1/4"	1/8"	5	6047 1/4 1/8 5
1/4"	1/8"	6	6047 1/4 1/8 6
3/8"	1/4"	2	6047 3/8 1/4 2
3/8"	1/4"	3	6047 3/8 1/4 3
3/8"	1/4"	4	6047 3/8 1/4 4
3/8"	1/4"	5	6047 3/8 1/4 5
3/8"	1/4"	6	6047 3/8 1/4 6
1/2"	3/8"	2	6047 1/2 3/8 2
1/2"	3/8"	3	6047 1/2 3/8 3
1/2"	3/8"	4	6047 1/2 3/8 4
1/2"	3/8"	5	6047 1/2 3/8 5
1/2"	3/8"	6	6047 1/2 3/8 6

Enchufes mini - serie mignon

Mini-serie mignon
Coupleurs mini - série mignon
Innesti mini- serie mignon



Enchufe Mignon hembra-M BSP cilíndrico

Coupling Mignon female - M BSP parallel

Coupleur femelle à mâle- série mignon

Innesto femmina a fileto mascho-serie mignon



THREAD ROSCA	Part nº Referencia
1/8	111 1/8
1/4	111 1/4
3/8	111 3/8

Enchufe Mignon hembra-H BSP cilíndrico

Female socket-serie mignon

Coupleur femelle à femelle- série mignon

Innesto femmina a fileto femmina-serie mignon



THREAD ROSCA	Part nº Referencia
1/8	112 1/8
1/4	112 1/4
3/8	112 3/8

Enchufe Mignon macho-M BSP cilíndrico

Coupling Mignon male - M BSP parallel

Coupleur mâle à mâle- série mignon

Innesto mascho a fileto mascho-serie mignon



THREAD ROSCA	Part nº Referencia
1/8	211 1/8
1/4	211 1/4
3/8	211 3/8

Enchufe Mignon macho-H BSP cilíndrico

Coupling Mignon male-F BSP parallel

Coupleur mâle à femelle- série mignon

Innesto mascho a fileto femmina-serie mignon



THREAD ROSCA	Part nº Referencia
1/8	212 1/8
1/4	212 1/4
3/8	212 3/8

Enchufe Mignon hembra-espiga

Coupling Mignon female-hose tail

Coupleur femelle à douille- série mignon

Innesto femmina ad inserto-serie mignon



DN	Ø NIPPLE Ø ESPIGA	Part nº Referencia
4	4 mm	115 4
6	6 mm	115 6
8	8 mm	115 8

Enchufe Mignon macho-espiga

Coupling Mignon male-hose tail

Coupleur mâle à douille- série mignon

Innesto mascho ad inserto-serie mignon



DN	Ø NIPPLE Ø ESPIGA	Part nº Referencia
6	6 mm	215 6
4	4 mm	215 4
8	8 mm	215 8

Enchufe Mignon hembra-push-on

Coupling Mignon female-push-on

Coupleur femelle à tube- série mignon

Innesto femmina a tubo-serie mignon



PIPE TUBO	Part nº Referencia
6/4 mm	114 6/4
8/6 mm	114 8/6

Enchufe Mignon hembra-push-on c/muelle

Coupling Mignon female - push-on w/nut+spring

Coupleur femelle à tube ressort- série mignon

Innesto femmina a tubo molla-serie mignon



PIPE TUBO	Part nº Referencia
6/4 mm	113 6/4
8/6 mm	113 8/6

Enchufe Mignon macho-push-on

Coupling Mignon male - push-on

Coupleur mâle à tube- série mignon

Innesto mascho a tubo-serie mignon



PIPE TUBO	Part nº Referencia
6/4 mm	214 6/4
8/6 mm	214 8/6

Enchufe Mignon macho-push-on c/muelle

Coupling Mignon male - push-on w/nut+spring

Coupleur mâle à tube ressort- série mignon

Innesto mascho a tubo molla-serie mignon



PIPE TUBO	Part nº Referencia
6/4 mm	213 6/4
8/6 mm	213 8/6

Enchufes mini - serie uni ISO 6150 B-12

Mini-serie uni ISO 6150 B-12

Coupleurs mini - série uni ISO 6150 B-12

Innesti Mini-serie uni ISO 6150 B-12



Enchufe UNI ISO 6150 B-12 hembra-M BSP

Coupling UNI ISO 6150 B-12 female-M BSP

Coupleur femelle à mâle- série uni ISO 6150 B-12

Innesto femmina a filetto maschio-serie UNI ISO 6150 B-12



THREAD ROSCA	Part nº Referencia
1/4	121 1/4
3/8	121 3/8
1/2	121 1/2

Enchufe UNI ISO 6150 B-12 hembra-H BSP

Coupling UNI ISO 6150 B-12 female-F BSP

Coupleur femelle à femelle- série uni ISO 6150 B-12

Innesto femmina a filetto femmina-serie UNI ISO 6150 B-12



THREAD ROSCA	Part nº Referencia
1/4	122 1/4
3/8	122 3/8
1/2	122 1/2

Enchufe UNI ISO 6150 B-12 macho-M BSP

Coupling UNI ISO 6150 B-12 male-M BSP

Coupleur mâle à mâle- série uni ISO 6150 B-12

Innesto maschio a filetto maschio-serie UNI ISO 6150 B-12



THREAD ROSCA	Part nº Referencia
1/4	221 1/4
3/8	221 3/8
1/2	221 1/2

Enchufe UNI ISO 6150 B-12 macho-H BSP

Coupling UNI ISO 6150 B-12 male-F BSP

Coupleur mâle à femelle- série uni ISO 6150 B-12

Innesto maschio a filetto femmina-serie UNI ISO 6150 B-12



THREAD ROSCA	Part nº Referencia
1/4	222 1/4
3/8	222 3/8
1/2	222 1/2

Enchufe UNI ISO 6150 B-12 hembra-espiga

Socket with rest for rubber hose-serie UNI ISO 6150 B-12

Coupleur femelle à douille- série UNI ISO 6150 B-12

Innesto femmina ad inserto-serie UNI ISO 6150 B-12



DN	Ø NIPPLE Ø ESPIGA	Part nº Referencia
6	6 mm	125 6
8	8 mm	125 8
10	10 mm	125 10
12	12 mm	125 12

Enchufe UNI ISO 6150 B-12 macho-espiga

Coupling UNI ISO 6150 B-12 male-hose tail

Coupleur mâle à douille- série UNI ISO 6150 B-12

Innesto maschio ad inserto-serie UNI ISO 6150 B-12



DN	Ø NIPPLE Ø ESPIGA	Part nº Referencia
6	6 mm	225 6
8	8 mm	225 8
10	10 mm	225 10
12	12 mm	225 12

Enchufe UNI ISO 6150 B-12 macho-push-on c/muelle

Coupling UNI ISO 6150 B-12 male-push-on w/ nut+spring

Coupleur mâle à tube ressort- série UNI ISO 6150 B-12

Innesto maschio a tubo molla-serie UNI ISO 6150 B-12



PIPE TUBO	Part nº Referencia
6/4 mm	223 6/4
8/6 mm	223 8/6
10/8 mm	223 10/8
12/10 mm	223 12/10

Enchufes mini - serie multipresa

Mini-serie multipress
Coupleurs mini - série multiprise
Innesti Mini-serie uni Multipresa



Enchufe multipresa hembra-M BSP

Coupling multisocket female-M BSP

Coupleur femelle à mâle- série multiprise

Innesto femmina a filetto maschio-serie multipress



THREAD ROSCA	Part n° Referencia
1/4	191 1/4
3/8	191 3/8
1/2	191 1/2

Enchufe multipresa hembra-H BSP

Coupling multisocket female-F BSP

Coupleur femelle à femelle- série multiprise

Innesto femmina a filetto femmina-serie multipress



THREAD ROSCA	Part n° Referencia
1/4	192 1/4
3/8	192 3/8
1/2	192 1/2

Enchufe multipresa hembra-espiga

Coupling multisocket female-hose tail

Coupleur femelle à douille- série multiprise

Innesto femmina ad inserto-serie multipress



DN	Ø NIPPLE Ø ESPIGA	Part n° Referencia
6	6 mm	195 6
8	8 mm	195 8
10	10 mm	195 10
12	12 mm	195 12

Enchufe multipresa hembra-push-on

Coupling multisocket female-push-on

Coupleur femelle à tube- série multiprise

Innesto femmina a tubo-serie multipress



PIPE TUBO	Part n° Referencia
6/4 mm	194 6/4
8/6 mm	194 8/6
10/8 mm	194 10/8

Enchufe multipresa hembra-push-on c/muelle

*Coupling multisocket female-push-on w/
nut+spring*

Coupleur femelle avec ressort- série multiprise

Innesto femmina con molla-serie multipress



PIPE TUBO	Part n° Referencia
6/4 mm	193 6/4
8/6 mm	193 8/6
10/8 mm	193 10/8

Normativa | Standard | Standard

4¹ ENCHUFE PARA NORMATIVAS



1 socket for 4 standards
1 corps pour 4 embouts

Ø 5,5 mm



SUECA / SWEDISH / SUEDOISE

Ø 7,5 mm



EUROPEA / EUROPEAN / EUROPEENNE

Ø 5 mm



ITALIANA / ITALIAN / ITALIENNE

Ø 5,5 mm



UNI ISO 6150 B-12