



AVEIDR ULICA

CAT LOGO
BOMBAS


Bridas SAE

SAE Flanges
Brides de fixation SAE
Flange SAE



■ Bridas Roscadas / Threaded flanges / Brides taraudées / Flangia filettate

4




BBRG

BCRG

B90RG

■ Bridas soldables tubo gas / Welding flanges for gas tube / Brides à souder pour tube gaz / Flangia a saldare per tubo gas

5




BBSG

BCSG

B90SG

■ Bridas soldables tubo métrico / Welding flanges for metric tube / Brides à souder pour tube métrique / Flangia a saldare per tubo Metrico

6




BBSM

BCSM

B90SM

■ Bridas soldables macho / Male welding flanges / Brides à souder mâle / Flangia a saldare maschio

7



BMSG

BMSG

BMSM

BCMSM

BMSLM

BCMSLM

■ Accesorios bridas / Flange accessories / Accessoires pour brides / Accessori flangia

9



TBSAE

JBR

JUNTAS

■ Bridas roscadas macho / Male threaded flanges / Brides taraudées mâle / Flangia filettate maschio

10




BMRG

BMRM

■ Bridas ciegas / Blind flanges / Brides avec obturateur fermé / Flangia cieche

10




BBC

BCC

■ Bridas para flexibles / SAE Flanges for hoses / Brides SAE pour flexibles / Flangia SAE per tubi flessibili

11



BBP

BBE

BCE


Bridas SAE

SAE Flanges
Brides de fixation SAE
Flange SAE



- Conos soldar /Welding adaptors for flanges /Collets à souder /Codoli a saldare

| 12




BSM31/61

BSM30/60

- Bidas Cetop /Cetop flanges /Brides Cetop /Flangia Cetop

| 12



BCTS

BCT

- Tabla de dimensiones / Tabela de dimensões

| 13

Bridas SAE

SAE Flanges
Brides de fixation SAE
Flange SAE




Brida roscada hembra BSP


BSP Female threaded flange

Bride taraudée femelle BSP

Flangia filettata femmina BSP



SERIE	THREAD ROSCA	SIZE TAMAÑO	Part nº Referencia
3000 PSI	1/2" BSP	1/2"	BBRG30808
3000 PSI	3/8" BSP	1/2"	BBRG30806
3000 PSI	3/4" BSP	3/4"	BBRG31212
3000 PSI	1/2" BSP	3/4"	BBRG31208
3000 PSI	1" BSP	1"	BBRG31616
3000 PSI	3/4" BSP	1"	BBRG31612
3000 PSI	1"1/4 BSP	1"1/4	BBRG32020
3000 PSI	1" BSP	1"1/4	BBRG32016
3000 PSI	1"1/2 BSP	1"1/2	BBRG32424
3000 PSI	1"1/4 BSP	1"1/2	BBRG32420
3000 PSI	2" BSP	2"	BBRG33232
3000 PSI	1"1/2 BSP	2"	BBRG33224
3000 PSI	2"1/2 BSP	2"1/2	BBRG34040
3000 PSI	2" BSP	2"1/2	BBRG34032
3000 PSI	2"1/2 BSP	3"	BBRG34840
3000 PSI	3" BSP	3"	BBRG34848
3000 PSI	3"1/2 BSP	3"1/2	BBRG35656
3000 PSI	3" BSP	3"1/2	BBRG35648
3000 PSI	4" BSP	4"	BBRG36464
3000 PSI	3"1/2 BSP	4"	BBRG36456
6000 PSI	1/2" BSP	1/2"	BBRG60808
6000 PSI	3/8" BSP	1/2"	BBRG60806
6000 PSI	3/4" BSP	3/4"	BBRG61212
6000 PSI	1/2" BSP	3/4"	BBRG61208
6000 PSI	1" BSP	1"	BBRG61616
6000 PSI	3/4" BSP	1"	BBRG61612
6000 PSI	1"1/4 BSP	1"1/4	BBRG62020
6000 PSI	1" BSP	1"1/4	BBRG62016
6000 PSI	1"1/4 BSP	1"1/2	BBRG62420
6000 PSI	1"1/2 BSP	1"1/2	BBRG62424
6000 PSI	2" BSP	2"	BBRG63232
6000 PSI	1"1/2 BSP	2"	BBRG63224




Contrabrida roscada hembra BSP

BSP Female threaded counter-flange

Contre-bride taraudée femelle BSP

Controflangia filettata femmina BSP




SERIE	THREAD ROSCA	SIZE TAMAÑO	Part nº Referencia
3000 PSI	1/2" BSP	1/2"	BCRG30808
3000 PSI	3/8" BSP	1/2"	BCRG30806
3000 PSI	3/4" BSP	3/4"	BCRG31212
3000 PSI	1/2" BSP	3/4"	BCRG31208
3000 PSI	1" BSP	1"	BCRG31616
3000 PSI	3/4" BSP	1"	BCRG31612
3000 PSI	1"1/4 BSP	1"1/4	BCRG32020
3000 PSI	1" BSP	1"1/4	BCRG32016
3000 PSI	1"1/2 BSP	1"1/2	BCRG32424
3000 PSI	1"1/4 BSP	1"1/2	BCRG32420
3000 PSI	2" BSP	2"	BCRG33232
3000 PSI	1"1/2 BSP	2"	BCRG33224
3000 PSI	2"1/2 BSP	2"1/2	BCRG34040
3000 PSI	2" BSP	2"1/2	BCRG34032
3000 PSI	3" BSP	3"	BCRG34848
3000 PSI	2"1/2 BSP	3"	BCRG34840
3000 PSI	3"1/2 BSP	3"1/2	BCRG35656
3000 PSI	3" BSP	3"1/2	BCRG35648
3000 PSI	4" BSP	4"	BCRG36464
3000 PSI	3"1/2 BSP	4"	BCRG36456
6000 PSI	1/2" BSP	1/2"	BCRG60808
6000 PSI	3/8" BSP	1/2"	BCRG60806
6000 PSI	3/4" BSP	3/4"	BCRG61212
6000 PSI	1/2" BSP	3/4"	BCRG61208
6000 PSI	1" BSP	1"	BCRG61616
6000 PSI	3/4" BSP	1"	BCRG61612
6000 PSI	1"1/4 BSP	1"1/4	BCRG62020
6000 PSI	1" BSP	1"1/4	BCRG62016
6000 PSI	1"1/2 BSP	1"1/2	BCRG62424
6000 PSI	1"1/4 BSP	1"1/2	BCRG62420
6000 PSI	2" BSP	2"	BCRG63232
6000 PSI	1"1/2 BSP	2"	BCRG63224

Brida codo 90° roscada hembra BSP

90° BSP female threaded flange

Bride 90° taraudée femelle BSP

Flangia a 90° filettata femmina BSP



SERIE	THREAD ROSCA	SIZE TAMAÑO	Part nº Referencia
3000 PSI	1/2" BSP	1/2"	B90RG30808
3000 PSI	3/8" BSP	1/2"	B90RG30806
3000 PSI	3/4" BSP	3/4"	B90RG31212
3000 PSI	1" BSP	1"	B90RG31616
3000 PSI	1"1/4 BSP	1"1/4	B90RG32020
3000 PSI	1"1/2 BSP	1"1/2	B90RG32424
3000 PSI	2" BSP	2"	B90RG33232
6000 PSI	1/2" BSP	1/2"	B90RG60808
6000 PSI	3/8" BSP	1/2"	B90RG60806
6000 PSI	3/4" BSP	3/4"	B90RG61212
6000 PSI	1" BSP	1"	B90RG61616
6000 PSI	1"1/4 BSP	1"1/4	B90RG62020
6000 PSI	1"1/2 BSP	1"1/2	B90RG62424

Bridas SAE

SAE Flanges
Brides de fixation SAE
Flange SAE




Brida soldable hembra tubo gas


Welding female flange for gas tube

Bride à souder femelle tube gaz

Flangia femmina a saldare per tubo gas



SERIE	Ø INNER Ø INT.	SIZE TAMAÑO	Part n° Referencia
3000 PSI	21.6	1/2"	BBSG308216
3000 PSI	17.5	1/2"	BBSG308175
3000 PSI	27.2	3/4"	BBSG312272
3000 PSI	34	1"	BBSG316340
3000 PSI	42.8	1"1/4	BBSG320428
3000 PSI	48.6	1"1/2	BBSG324486
3000 PSI	61	2"	BBSG332610
3000 PSI	76.6	2"1/2	BBSG340766
3000 PSI	90.5	3"	BBSG348905
3000 PSI	103	3"1/2	BBSG3561030
3000 PSI	115.5	4"	BBSG341155
6000 PSI	17.5	1/2"	BBSG608175
6000 PSI	21.6	1/2"	BBSG608216
6000 PSI	27.2	3/4"	BBSG612272
6000 PSI	34	1"	BBSG621612
6000 PSI	42.8	1"1/4	BBSG620428
6000 PSI	48.6	1"1/2	BBSG624486
6000 PSI	61	2"	BBSG632610




Contrabrida soldable hembra tubo gas

Welding female counter-flange for gas tube

Contre-bride à souder femelle tube gaz

Controflangia femmina a saldare per tubo gas




SERIE	Ø INNER Ø INT.	SIZE TAMAÑO	Part n° Referencia
3000 PSI	21.6	1/2"	BCSG308216
3000 PSI	17.5	1/2"	BCSG308175
3000 PSI	27.2	3/4"	BCSG312272
3000 PSI	34	1"	BCSG316340
3000 PSI	42.8	1"1/4	BCSG320428
3000 PSI	48.6	1"1/2	BCSG324486
3000 PSI	61	2"	BCSG332610
3000 PSI	76.6	2"1/2	BCSG340766
3000 PSI	90.5	3"	BCSG348905
3000 PSI	103	3"1/2	BCSG3561030
3000 PSI	115.5	4"	BCSG3641155
6000 PSI	21.6	1/2"	BCSG608216
6000 PSI	27.2	3/4"	BCSG612272
6000 PSI	34	1"	BCSG616340
6000 PSI	42.8	1"1/4	BCSG620428
6000 PSI	48.6	1"1/2	BCSG624486
6000 PSI	61	2"	BCSG632610

Brida codo 90° soldable hembra tubo gas

90° welding female flange for gas tube

Bride 90° à souder femelle tube gaz

Flangia a 90° femmina a saldare per tubo gas



SERIE	Ø INNER Ø INT.	SIZE TAMAÑO	Part n° Referencia
3000 PSI	21.6	1/2"	B90SG308216
3000 PSI	17.5	1/2"	B90SG308175
3000 PSI	27.2	3/4"	B90SG312272
3000 PSI	34	1"	B90SG316340
3000 PSI	42.8	1"1/4	B90SG320428
3000 PSI	48.6	1"1/2	B90SG324486
3000 PSI	61	2"	B90SG332610
6000 PSI	21.6	1/2"	B90SG608216
6000 PSI	17.5	1/2"	B90SG608175
6000 PSI	27.2	3/4"	B90SG612272
6000 PSI	34	1"	B90SG616340
6000 PSI	42.8	1"1/4	B90SG620428
6000 PSI	48.6	1"1/2	B90SG624486

Bridas SAE

SAE Flanges
Brides de fixation SAE
Flange SAE




Brida soldable hembra tubo métrico

Female welding flange for metric tube

Bride à souder femelle tube métrique

Flangia femmina a saldare per tubo Metrico




SERIE	Ø INNER Ø INT.	SIZE TAMAÑO	Part nº Referencia
3000 PSI	20.3	1/2"	BBSM308203
3000 PSI	25.3	3/4"	BBSM312253
3000 PSI	30.3	1"	BBSM316303
3000 PSI	38.3	1"1/4	BBSM320383
3000 PSI	50.5	1"1/2	BBSM324505
6000 PSI	20.3	1/2"	BBSM608203
6000 PSI	25.3	3/4"	BBSM612253
6000 PSI	30.3	1"	BBSM616303
6000 PSI	38.3	1"1/4	BBSM620383
6000 PSI	50.5	1"1/2	BBSM624505

Brida codo 90° soldable hembra tubo métrico

90° female welding flange for metric tube

Bride 90° à souder femelle tube métrique

Flangia a 90° femmina a saldare per tubo Metrico




SERIE	Ø INNER Ø INT.	SIZE TAMAÑO	Part nº Referencia
3000 PSI	20.3	1/2"	B90SM308203
3000 PSI	25.3	3/4"	B90SM312253
3000 PSI	30.3	1"	B90SM316303
3000 PSI	38.3	1"1/4	B90SM320383
3000 PSI	50.5	1"1/2	B90SM324505
6000 PSI	20.3	1/2"	B90SM608203
6000 PSI	25.3	3/4"	B90SM612253
6000 PSI	30.3	1"	B90SM616303
6000 PSI	38.3	1"1/4	B90SM620383
6000 PSI	50.3	1"1/2	B90SM624503

Contrabrida soldable hembra tubo métrico


Female welding counter-flange for metric tube

Contre-bride à souder femelle tube métrique

Controflangia femmina a saldare per tubo Metrico



SERIE	Ø INNER Ø INT.	SIZE TAMAÑO	Part nº Referencia
3000 PSI	20.3	1/2"	BCSM308203
3000 PSI	25.3	3/4"	BCSM312253
3000 PSI	30.3	1"	BCSM316303
3000 PSI	38.3	1"1/4	BCSM320383
6000 PSI	20.3	1/2"	BCSM608203
6000 PSI	25.3	3/4"	BCSM612253
6000 PSI	30.3	1"	BCSM616303
6000 PSI	38.3	1"1/4	BCSM620383
6000 PSI	50.5	1"1/2	BCSM624505



Bridas SAE

SAE Flanges
Brides de fixation SAE
Flange SAE




Brida soldable macho tubo gas

Male welding flange for gas tube

Bride à souder mâle tube gaz

Flangia a saldare maschio tubo gas




SERIE	Ø OUTER Ø EXT.	SIZE TAMAÑO	Part n° Referencia
3000 PSI	21.5	1/2"	BMSG308215
3000 PSI	17.5	1/2"	BMSG308175
3000 PSI	28	3/4"	BMSG312280
3000 PSI	34	1"	BMSG316340
3000 PSI	42.8	1 1/4"	BMSG320428
3000 PSI	48.6	1 1/2"	BMSG324486
3000 PSI	61	2"	BMSG332610
3000 PSI	77	2 1/2"	BMSG340770
3000 PSI	92	3"	BMSG348920
3000 PSI	103	3 1/2"	BMSG356103
6000 PSI	21.5	1/2"	BMSG608215
6000 PSI	17.5	1/2"	BMSG608175
6000 PSI	28	3/4"	BMSG612280
6000 PSI	34	1"	BMSG616340
6000 PSI	42.8	1 1/4"	BMSG620428
6000 PSI	48.6	1 1/2"	BMSG624486
6000 PSI	61	2"	BMSG632610

Contrabrida soldable macho tubo gas

Male welding counter-flange for gas tube

Contre-bride à souder mâle tube gaz

Controflangia a saldare maschio tubo gas




SERIE	Ø OUTER Ø EXT.	SIZE TAMAÑO	Part n° Referencia
3000 PSI	21.5	1/2"	BCMSG308215
3000 PSI	17.5	1/2"	BCMSG308175
3000 PSI	28	3/4"	BCMSG312280
3000 PSI	34	1"	BCMSG316340
3000 PSI	42.8	1 1/4"	BCMSG320428
3000 PSI	48.6	1 1/2"	BCMSG324486
3000 PSI	61	2"	BCMSG332610
3000 PSI	77	2 1/2"	BCMSG340770
3000 PSI	92	3"	BCMSG348920
3000 PSI	103	3 1/2"	BCMSG3561030
3000 PSI	115.5	4"	BCMSG3641155
6000 PSI	21.5	1/2"	BCMSG608215
6000 PSI	17.5	1/2"	BCMSG608175
6000 PSI	28	3/4"	BCMSG612280
6000 PSI	34	1"	BCMSG616340
6000 PSI	42.8	1 1/4"	BCMSG620428
6000 PSI	48.6	1 1/2"	BCMSG624486
6000 PSI	61	2"	BCMSG632610

Brida soldable macho tubo métrico

Male welding flange for metric tube

Bride à souder mâle tube métrique

Flangia a saldare maschio tubo Metrico




SERIE	Ø OUTER Ø EXT.	SIZE TAMAÑO	Part n° Referencia
3000 PSI	25	3/4"	BMSM31225
3000 PSI	30	1"	BMSM31630
3000 PSI	38	1 1/4"	BMSM32038
3000 PSI	42	1 1/2"	BMSM32442
3000 PSI	61	2"	BMSM33261
3000 PSI	49	2"	BMSM33249
3000 PSI	77	3"	BMSM34877
3000 PSI	77	3 1/2"	BMSM35677
3000 PSI	90	3 1/2"	BMSM35690
3000 PSI	77	4"	BMSM36477
3000 PSI	90	4"	BMSM36490
6000 PSI	20	1/2"	BMSM60820
6000 PSI	20	3/4"	BMSM61220
6000 PSI	25	3/4"	BMSM61225
6000 PSI	25	1"	BMSM61625
6000 PSI	30	1"	BMSM61630
6000 PSI	38	1 1/4"	BMSM62038
6000 PSI	38	1 1/2"	BMSM62438
6000 PSI	61	2"	BMSM63261

Contrabrida soldable macho tubo métrico

Male welding counter-flange for metric tube

Contre-bride à souder mâle tube métrique

Controflangia a saldare maschio tubo Metrico



SERIE	Ø OUTER Ø EXT.	SIZE TAMAÑO	Part n° Referencia
3000 PSI	25	3/4"	BCMSM31225
3000 PSI	30	1"	BCMSM31630
3000 PSI	38	1 1/4"	BCMSM32038
3000 PSI	42	1 1/2"	BCMSM32442
3000 PSI	49	1 1/2"	BCMSM32449
3000 PSI	61	2"	BCMSM33261
3000 PSI	49	2"	BCMSM33249
3000 PSI	77	2 1/2"	BCMSM34077
3000 PSI	77	3"	BCMSM34877
3000 PSI	77	3 1/2"	BCMSM35677
3000 PSI	90	3 1/2"	BCMSM35690
3000 PSI	90	4"	BCMSM36490
6000 PSI	20	1/2"	BCMSM60820
6000 PSI	20	3/4"	BCMSM61220
6000 PSI	25	3/4"	BCMSM61225
6000 PSI	25	1"	BCMSM61625
6000 PSI	30	1"	BCMSM61630
6000 PSI	38	1 1/4"	BCMSM62038
6000 PSI	38	1 1/2"	BCMSM62438
6000 PSI	61	2"	BCMSM63261

Bridas SAE

SAE Flanges
Brides de fixation SAE
Flange SAE




Brida soldable macho serie L tubo métrico

Male welding flange L serie for metric tube

Bride à souder mâle série L tube métrique

Flangia a saldare maschio serie L tubo Metrico




SERIE	Ø OUTER Ø EXT.	SIZE TAMAÑO	Part nº Referencia
3000 PSI	20	1/2"	BMSLM30820
3000 PSI	22	1/2"	BMSLM30822
3000 PSI	28	3/4"	BMSLM31228
3000 PSI	35	1"	BMSLM31635
3000 PSI	43	1"1/4	BMSLM32043
3000 PSI	49	1"1/2	BMSLM32449
3000 PSI	61	2"	BMSLM33261
3000 PSI	77	2"1/2	BMSLM34077
3000 PSI	90	3"	BMSLM34890
3000 PSI	115	4"	BMSLM364115

Contrabrida soldable macho serie L tubo métrico


Male welding counter-flange L serie for metric tube

Contre-bride à souder mâle série L tube métrique

Controflangia a saldare maschio serie L tubo Metrico



SERIE	Ø OUTER Ø EXT.	SIZE TAMAÑO	Part nº Referencia
3000 PSI	20	1/2"	BCMSLM30820
3000 PSI	22	1/2"	BCMSLM30822
3000 PSI	28	3/4"	BCMSLM31228
3000 PSI	35	1"	BCMSLM31635
3000 PSI	43	1"1/4	BCMSLM32043
3000 PSI	49	1"1/2	BCMSLM32449
3000 PSI	61	2"	BCMSLM33261
3000 PSI	77	2"1/2	BCMSLM34077
3000 PSI	90	3"	BCMSLM34890
3000 PSI	115	4"	BCMSLM364115



Bridas SAE

SAE Flanges
Brides de fixation SAE
Flange SAE



Tornillos para bridas SAE

Screws for SAE flanges

Vis pour brides SAE

Vite per flangia SAE



THREAD ROSCA	SIZE TAMAÑO	Part n° Referencia
M8X30	3000-6000 PSI 1/2"	TB8X30
M10X35	3000 PSI 3/4"-1"	TB10X35
M10X40	3000 PSI 1" 1/4 - 6000 PSI 3/4"	TB10X40
M12X45	3000 PSI 1"1/2-2"-2"1/2-6000 PSI 1"	TB12X45
M14X45	6000 PSI 1"1/4	TB14X45
M16X50	3000 PSI 3"-3" 1/2-4"- 6000 PSI 1" 1/2	TB16X50
M20X70	6000 PSI 2"	TB20X70

Juntas para bridas SAE 3000/6000 PSI

Seals for 3000/6000 PSI flange

Joints pour bride série 3000/6000

Guarnizioni per flangia SAE 3000/6000 PSI



Ø OUTER Ø EXT.	Ø INNER Ø INT.	SIZE TAMAÑO	Part n° Referencia
25.40	17.02	1/2"	JBR08
31.72	23.36	3/4"	JBR12
39.62	31.24	1"	JBR16
44.45	36.07	1"1/4	JBR20
53.98	45.34	1"1/2	JBR24
63.50	54.86	2"	JBR32

Juntas tóricas para bridas SAE 3000/6000 PSI

O´rings for 3000/6000 PSI flange

O´rings pour bride série 3000/6000 PSI

O´rings per flangia SAE 3000/6000 PSI



Ø INNER Ø INT.	SIZE TAMAÑO	Part n° Referencia
18.64	1/2"	18.64X3.53
24.99	3/4"	24.99X3.53
32.92	1"	32.92X3.53
37.70	1"1/4	37.70X3.53
47.22	1"1/2	47.22X3.53
56.74	2"	56.74X3.53

Bridas SAE

SAE Flanges
Brides de fixation SAE
Flange SAE




Brida roscada macho BSP

BSP Male threaded flange

Brides taraudées mâle BSP

Flangia maschio filettata BSP




SERIE	THREAD ROSCA	SIZE TAMAÑO	Part nº Referencia
3000 PSI	3/8" BSP	1/2"	BMRG30806
3000 PSI	1/2" BSP	1/2"	BMRG30808
3000 PSI	3/4" BSP	3/4"	BMRG31212
3000 PSI	1/2" BSP	3/4"	BMRG31208
3000 PSI	1" BSP	1"	BMRG31616
3000 PSI	3/4" BSP	1"	BMRG31612
3000 PSI	1"1/4 BSP	1"1/4	BMRG32020
3000 PSI	1" BSP	1"1/4	BMRG32016
3000 PSI	1"1/2 BSP	1"1/2	BMRG32424
3000 PSI	1"1/4 BSP	1"1/2	BMRG32420
6000 PSI	1/2" BSP	1/2"	BMRG60808
6000 PSI	3/8" BSP	1/2"	BMRG60806
6000 PSI	3/4" BSP	3/4"	BMRG61212
6000 PSI	1/2" BSP	3/4"	BMRG61208
6000 PSI	1" BSP	1"	BMRG61616
6000 PSI	3/4" BSP	1"	BMRG61612
6000 PSI	1"1/4 BSP	1"1/4	BMRG62020
6000 PSI	1" BSP	1"1/4	BMRG62016
6000 PSI	1"1/2 BSP	1"1/2	BMRG62424
6000 PSI	1"1/4 BSP	1"1/2	BMRG62420

Brida roscada macho métrico

Metric Male threaded flange

Brides taraudées mâle Métrique

Flangia maschio filettata Metrica




SERIE	THREAD ROSCA	SIZE TAMAÑO	Part nº Referencia
3000 PSI	M22x1,5	1/2"	BMRM30822
3000 PSI	M30x2	3/4"	BMRM31230
3000 PSI	M36x2	1"	BMRM31636
3000 PSI	M45x2	1"1/4	BMRM32045
3000 PSI	M52x2	1"1/2	BMRM32452
6000 PSI	M24x1.5	1/2"	BMRM60824
6000 PSI	M36X2	3/4"	BMRM61236
6000 PSI	M42x2	1"	BMRM61642
6000 PSI	M52x2	1"1/4	BMRM62052
6000 PSI	M52x2	1"1/2	BMRM62452

Bridas ciegas

Blind flanges

Brides avec obturateur fermé

Flangia cieche




SERIE	SIZE TAMAÑO	Part nº Referencia
3000 PSI	1/2"	BBC308
3000 PSI	3/4"	BBC312
3000 PSI	1"	BBC316
3000 PSI	1"1/4	BBC320
3000 PSI	1"1/2	BBC324
3000 PSI	2"	BBC332
3000 PSI	2"1/2	BBC340
3000 PSI	3"	BBC348
3000 PSI	3"1/2	BBC356
3000 PSI	4"	BBC364
3000 PSI	5"	BBC380
6000 PSI	1/2"	BBC608
6000 PSI	3/4"	BBC612
6000 PSI	1"	BBC616
6000 PSI	1"1/4	BBC620
6000 PSI	1"1/2	BBC624
6000 PSI	2"	BBC632

Contrabridas ciegas

Blind counter-flanges

Contre-brides avec obturateur fermé

Controflangia cieche



SERIE	SIZE TAMAÑO	Part nº Referencia
3000 PSI	1/2"	BCC308
3000 PSI	3/4"	BCC312
3000 PSI	1"	BCC316
3000 PSI	1"1/4	BCC320
3000 PSI	1"1/2	BCC324
3000 PSI	2"	BCC332
3000 PSI	2"1/2	BCC340
3000 PSI	3"	BCC348
3000 PSI	3"1/2	BCC356
3000 PSI	4"	BCC364
3000 PSI	5"	BCC380
6000 PSI	1/2"	BCC608
6000 PSI	3/4"	BCC612
6000 PSI	1"	BCC616
6000 PSI	1"1/4	BCC620
6000 PSI	1"1/2	BCC624
6000 PSI	2"	BCC632

Bridas SAE

SAE Flanges
Brides de fixation SAE
Flange SAE




Brida partida pasante

SAE Split flange

Demi-bride SAE passage total

Semiflangua SAE




SERIE	SIZE TAMAÑO	Part nº Referencia
3000 PSI	1/2"	BBP308
3000 PSI	3/4"	BBP312
3000 PSI	1"	BBP316
3000 PSI	1"1/4	BBP320
3000 PSI	1"1/2	BBP324
3000 PSI	2"	BBP332
3000 PSI	2"1/2	BBP340
3000 PSI	3"	BBP348
3000 PSI	3"1/2	BBP356
3000 PSI	4"	BBP364
6000 PSI	1/2"	BBP608
6000 PSI	3/4"	BBP612
6000 PSI	1"	BBP616
6000 PSI	1"1/4	BBP620
6000 PSI	1"1/2	BBP624
6000 PSI	2"	BBP632

Brida entera pasante

SAE Flange

Bride SAE monobloc passage total

Flangia monoblocco SAE




SERIE	SIZE TAMAÑO	Part nº Referencia
3000 PSI	1/2"	BBE308
3000 PSI	3/4"	BBE312
3000 PSI	1"	BBE316
3000 PSI	1"1/4	BBE320
3000 PSI	1"1/2	BBE324
3000 PSI	2"	BBE332
3000 PSI	2"1/2	BBE340
3000 PSI	3"	BBE348
3000 PSI	3"1/2	BBE356
3000 PSI	4"	BBE364
3000 PSI	5"	BBE380
6000 PSI	1/2"	BBE608
6000 PSI	3/4"	BBE612
6000 PSI	1"	BBE616
6000 PSI	1"1/4	BBE620
6000 PSI	1"1/2	BBE624
6000 PSI	2"	BBE632

Contrabrida rosca Métrica


Metric threaded counter-flange

Contre-bride métrique

Controflangia filettata Metrica



SERIE	SIZE TAMAÑO	Part nº Referencia
3000 PSI	1/2"	BCE308
3000 PSI	3/4"	BCE312
3000 PSI	1"	BCE316
3000 PSI	1"1/4	BCE320
3000 PSI	1"1/2	BCE324
3000 PSI	2"	BCE332
3000 PSI	2"1/2	BCE340
3000 PSI	3"	BCE348
3000 PSI	3"1/2	BCE356
3000 PSI	4"	BCE364
3000 PSI	5"	BCE380
6000 PSI	1/2"	BCE608
6000 PSI	3/4"	BCE612
6000 PSI	1"	BCE616
6000 PSI	1"1/4	BCE620
6000 PSI	1"1/2	BCE624
6000 PSI	2"	BCE632



Bridas SAE

SAE Flanges
Brides de fixation SAE
Flange SAE




Brida cono soldable tubo métrico

Flange welding adaptor for metric tube

Bride collet à souder tube métrique

Flangia adattatore a saldare per tubo Metrico




SERIE	Ø OUTER Ø EXT.	SIZE TAMAÑO	Part nº Referencia
3000 PSI	16	1/2"	BSM310816
3000 PSI	25	3/4"	BSM311225
3000 PSI	30	1"	BSM311630
3000 PSI	38	1"1/4	BSM3132038
3000 PSI	45	1"1/2	BSM312445
3000 PSI	60	2"	BSM313260
3000 PSI	70	2"1/2	BSM314070
3000 PSI	80	3"	BSM314880
3000 PSI	100	3"1/2	BSM3156100
3000 PSI	114.3	4"	BSM31641143
3000 PSI	139.7	5"	BSM31801397
6000 PSI	16	1/2"	BSM610816
6000 PSI	25	3/4"	BSM611225
6000 PSI	30	1"	BSM611630
6000 PSI	38	1"1/4	BSM612038
6000 PSI	45	1"1/2	BSM612445
6000 PSI	60	2"	BSM613260

Contrabrida cono soldable tubo métrico

Counter-flange welding adaptor for metric tube

Contrebride collet à souder tube métrique

Controflangia adattatore a saldare per tubo Metrico




SERIE	Ø OUTER Ø EXT.	SIZE TAMAÑO	Part nº Referencia
3000 PSI	16	1/2"	BSM300816
3000 PSI	25	3/4"	BSM301225
3000 PSI	30	1"	BSM301630
3000 PSI	38	1"1/4	BSM302038
3000 PSI	45	1"1/2	BSM302445
3000 PSI	60	2"	BSM303260
3000 PSI	70	2"1/2	BSM304070
3000 PSI	80	3"	BSM304880
3000 PSI	100	3"1/2	BSM3056100
3000 PSI	114.3	4"	BSM30641143
3000 PSI	139.7	5"	BSM30801397
6000 PSI	16	1/2"	BSM600816
6000 PSI	25	3/4"	BSM601225
6000 PSI	30	1"	BSM601630
6000 PSI	38	1"1/4	BSM602038
6000 PSI	45	1"1/2	BSM602445
6000 PSI	60	2"	BSM603260

Cono Cetop soldable exterior

Cetop welding adaptor

Collet Cetop à souder

Adattatore a saldare Cetop




SERIE	Ø OUTER Ø EXT.	SIZE TAMAÑO	Part nº Referencia
3000 PSI	18	3/8"	BCTS30618
6000 PSI	18	3/8"	BCTS60618

Bridas Cetop



Cetop flanges

Brides Cetop

Flangia Cetop



SERIE	Ø INNER Ø INT.	SIZE TAMAÑO	Part nº Referencia
3000 PSI	31	1/2"	BCT30831




Bridas SAE

SAE flanges
Brides SAE
Flangia SAE



Características comunes

Common characteristics
Données communes
Caratteristiche comuni



Bridas 3000 PSI

Flanges 3000 PSI
Brides 3000 PSI
Flangia 3000 PSI

Tamaño Size Taille Misura	Max. pre. Max. pre. Max. pre.	B	C	E	O'ring NBR O'ring NBR O'ring NBR	Junta PU PU seal Joint PU Guarnizione in PU	Ø	Tornillo * Screw * Vis * Vite *	Rosca Thread Filetage Filetto
1/2"	345 bar	13	38,1	17,48	18,64 x 3,53	JBR08	9	TB8X30	M8
3/4"	345 bar	19	47,63	22,23	24,99 x 3,53	JBR12	11	TB10X35	M10
1"	345 bar	25	52,37	26,19	32,92 x 3,53	JBR16	11	TB10X35	M10
1 1/4"	276 bar	32	58,72	30,18	37,70 x 3,53	JBR20	11,5	TB10X40	M10
1 1/2"	207 bar	38	69,85	35,71	47,22 x 3,53	JBR24	13,5	TB12X45	M12
2"	207 bar	51	77,77	42,88	56,74 x 3,53	JBR32	13,5	TB12X45	M12
2 1/2"	172 bar	63	88,9	50,8	66,27 x 3,53		13,5	TB12X45	M12
3"	138 bar	73	106,38	61,93	85,32 x 3,53		17,5	TB16X50	M16
3 1/2"	34 bar	89	120,65	69,85	98,02 x 3,53		17,5	TB16X50	M16
4"	34 bar	99	130,18	77,77	110,72 x 3,53		17,5	TB16X50	M16

Bridas 6000 PSI

Flanges 6000 PSI
Brides 6000 PSI
Flangia 6000 PSI

Tamaño Size Taille Misura	Max. pre. Max. pre. Max. pre.	B	C	E	O'ring NBR O'ring NBR O'ring NBR	Junta PU PU seal Joint PU Guarnizione PU	Ø	Tornillo * Screw * Vis * Vite *	Rosca Thread Filetage Filetto
1/2"	414 bar	13	40,49	18,24	18,64 x 3,53	JBR08	9	TB8X30	M8
3/4"	414 bar	19	50,8	23,8	24,99 x 3,53	JBR12	11	TB10X40	M10
1"	414 bar	25	57,15	27,76	32,92 x 3,53	JBR16	13	TB12X45	M12
1 1/4"	414 bar	32	66,68	31,75	37,70 x 3,53	JBR20	15	TB14X45	M14
1 1/2"	414 bar	38	79,38	36,5	47,22 x 3,53	JBR24	17	TB16X50	M16
2"	414 bar	51	98,82	44,45	56,74 x 3,53	JBR32	21	TB20X70	M20

* Tornillos en acero carbono. Para tornillos en acero inoxidable, pedir ZTB...

Screws are in carbon steel. For Stainless Steel screws, ask for ZTB... part number.
Les vis sont en acier. Pour vis en acier inoxydable, veuillez demander les références ZTB ...
Le viti sono in acciaio al carbonio. Per viti in acciaio inox, ordinare con codice ZTB...